

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61*

* wrought copper products

B Press Fittings

CANADA
Price List #3
Effective March 15, 2016

PRICE LIST

CANADA

210 Avenue Road
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail:
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145
Fax: (262) 740-1593

e-mail:
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
150# FLANGES				BP7-32	2	1 18	97.03
press x flange Press Fit BP41-				BP7-40	2 1/2	1 12	282.49
BP41-20	1 1/4	1 0	295.93	BP7-48	3	1 9	355.40
BP41-24	1 1/2	1 0	326.67	BP7-64	4	1 4	472.97
BP41-32	2	1 0	358.70	BP7-12-08	3/4 X 1/2	15 240	11.62
BP41-40	2 1/2	1 0	400.24	BP7-16-12	1 X 3/4	10 120	26.29
BP41-48	3	1 0	485.09	90° Bend with MPT Thread			
BP41-64	4	1 6	542.68	Press x Male Thread (MPT) Press Fit BP74-			
45° Elbow				BP74-08	1/2	5 0	24.43
Press x Press Press Fit BP6-				BP74-12	3/4	5 0	39.04
BP6-08	1/2	10 400	5.82	BP74-16	1	1 65	58.80
BP6-12	3/4	10 200	7.15	BP74-20	1 1/4	1 0	80.08
BP6-16	1	5 140	22.94	BP74-24	1 1/2	1 0	109.48
BP6-20	1 1/4	1 70	32.90	BP74-32	2	1 0	154.70
BP6-24	1 1/2	1 40	53.35	90° Elbow Drop Ear FIP Thread			
BP6-32	2	1 25	74.61	Press x Female Thread (FPT) Press Fit BP735-			
BP6-40	2 1/2	1 16	173.23	BP735-08	1/2	5 0	22.94
BP6-48	3	1 12	246.95	BP735-12	3/4	5 0	45.20
BP6-64	4	1 6	309.53	90° Elbow with FPT Thread			
45° Street Elbow				Press x Female Thread (FPT) Press Fit BP73-			
Press x Fitting Press Fit BP6-2-				BP73-08	1/2	5 0	15.45
BP6-2-08	1/2	10 450	4.48	BP73-12	3/4	5 0	24.60
BP6-2-12	3/4	10 260	6.65	BP73-16	1	1 0	43.36
BP6-2-16	1	5 140	22.50	BP73-20	1 1/4	1 0	73.62
BP6-2-20	1 1/4	1 70	31.73	BP73-24	1 1/2	1 0	94.37
BP6-2-24	1 1/2	1 40	48.53	BP73-32	2	1 0	149.87
BP6-2-32	2	1 25	71.94	90° Street Elbow			
BP6-2-40	2 1/2	1 16	199.58	Press x Press Press Fit BP7-2-			
BP6-2-48	3	1 12	288.72	BP7-2-08	1/2	10 400	4.98
BP6-2-64	4	1 6	364.76	BP7-2-12	3/4	10 200	8.46
90° Bend				BP7-2-16	1	5 100	19.45
Press x Press Press Fit BP7-				BP7-2-20	1 1/4	1 55	34.57
BP7-08	1/2	10 350	5.49	BP7-2-24	1 1/2	1 35	65.99
BP7-12	3/4	10 180	8.95	BP7-2-32	2	1 20	90.72
BP7-16	1	5 100	18.30	BP7-2-40	2 1/2	1 14	272.10
BP7-20	1 1/4	1 55	36.75	BP7-2-48	3	1 9	316.42
BP7-24	1 1/2	1 30	69.80				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
90° Street Elbow...Continued							
Press x Press		Press Fit				BP7-2-	
BP7-2-64	4	1	4	438.20			
Cap							
Press		Press Fit				BP17-	
BP17-08	1/2	10	450	9.64			
BP17-12	3/4	10	450	16.27			
BP17-16	1	5	250	25.09			
BP17-20	1 1/4	1	100	28.41			
BP17-24	1 1/2	1	80	44.03			
BP17-32	2	1	55	53.48			
BP17-40	2 1/2	1	40	171.09			
BP17-48	3	1	36	216.57			
BP17-64	4	1	24	288.56			
Crossover Coupling							
Press x Press		Press Fit				BP36-	
BP36-08	1/2	10	0	31.40			
BP36-12	3/4	10	0	39.04			
Female Adapter							
Press x Female Pipe Thread (FPT)		Press Fit				BP3-	
BP3-08	1/2	10	300	6.65			
BP3-12	3/4	10	150	10.80			
BP3-16	1	10	180	19.95			
BP3-20	1 1/4	1	80	45.02			
BP3-24	1 1/2	1	55	65.49			
BP3-32	2	1	40	111.14			
BP3-40	2 1/2	1	36	286.02			
BP3-48	3	1	24	468.47			
BP3-08-12	1/2 X 3/4	10	180	13.63			
BP3-12-08	3/4 X 1/2	10	180	9.95			
BP3-16-08	1 X 1/2	10	200	37.98			
BP3-16-12	1 X 3/4	10	200	35.23			
BP3-16-20	1 X 1 1/4	10	180	40.46			
BP3-20-16	1 1/4 X 1	1	55	43.95			
BP3-20-24	1 1/4 X 1 1/2	1	55	65.93			
BP3-2-08	1/8 X 1/2	25	250	65.00			
BP3-2-12	1/8 X 3/4	25	250	33.84			
BP3-2-16	1/8 X 1	20	200	50.81			
BP3-2-20	1/8 X 1 1/4	10	100	88.55			
BP3-2-24	1/8 X 1 1/2	10	100	98.72			
BP3-2-32	1/8 X 2	5	50	167.26			
BP3-24-20	1 1/2 X 1 1/4	1	55	64.14			
BP3-2-08-12	1/8 X 1/2 X 3/4	5	100	26.09			
BP3-2-12-08	1/8 X 3/4 X 1/2	25	250	29.99			
BP3-2-16-12	1/8 X 1 X 3/4	10	100	47.79			
Female Union							
Press x Female Thread (FPT)		Press Fit				BP33-3-	
BP33-3-08	1/2	1	0	28.25			
BP33-3-12	3/4	1	0	36.23			
BP33-3-16	1	1	0	60.16			
BP33-3-20	1 1/4	1	0	76.11			
BP33-3-24	1 1/2	1	0	119.66			
BP33-3-32	2	1	0	157.91			
Fitting Reducer							
Press x Fitting		Press Fit				BP02-	
BP02-12-08	3/4 X 1/2	10	400	4.98			
BP02-16-08	1 X 1/2	10	300	12.81			
BP02-16-12	1 X 3/4	10	240	13.31			
BP02-20-08	1 1/4 X 1/2	5	180	25.95			
BP02-20-12	1 1/4 X 3/4	5	170	15.82			
BP02-20-16	1 1/4 X 1	5	150	17.78			
BP02-24-08	1 1/2 X 1/2	5	130	44.75			
BP02-24-12	1 1/2 X 3/4	1	70	31.95			
BP02-24-16	1 1/2 X 1	1	70	26.08			
BP02-24-20	1 1/2 X 1 1/4	1	70	26.25			
BP02-32-08	2 X 1/2	1	50	57.01			
BP02-32-12	2 X 3/4	1	50	57.56			
BP02-32-16	2 X 1	1	50	45.95			
BP02-32-20	2 X 1 1/4	1	50	37.11			
BP02-32-24	2 X 1 1/2	1	40	35.23			
BP02-40-16	2 1/2 X 1	1	38	126.71			
BP02-40-20	2 1/2 X 1 1/4	1	38	178.04			
BP02-40-24	2 1/2 X 1 1/2	1	35	179.09			
BP02-40-32	2 1/2 X 2	1	35	153.99			
BP02-48-20	3 X 1 1/4	1	25	206.16			
BP02-48-24	3 X 1 1/2	1	20	195.92			
BP02-48-32	3 X 2	1	20	190.66			
BP02-48-40	3 X 2 1/2	1	17	196.39			



CELLO #	SIZE	BOX/MC	LIST
Fitting Reducer...Continued			
Press x Fitting	Press Fit	BP02-	
BP02-64-32	4 X 2	1 10	259.54
BP02-64-40	4 X 2 1/2	1 10	239.75
BP02-64-48	4 X 3	1 10	253.38
Male Adapter			
Press x Male Pipe Thread (MPT)	Press Fit	BP4-	
BP4-08	1/2	10 300	5.49
BP4-12	3/4	10 160	9.95
BP4-16	1	10 160	18.28
BP4-20	1 1/4	1 80	40.04
BP4-24	1 1/2	1 20	56.17
BP4-32	2	1 35	108.17
BP4-40	2 1/2	1 28	267.72
BP4-48	3	1 18	336.82
BP4-64	4	1 12	389.89
BP4-08-12	1/2 X 3/4	10 180	10.80
BP4-12-08	3/4 X 1/2	10 180	11.30
BP4-12-16	3/4 X 1	10 200	27.81
BP4-16-12	1 X 3/4	10 180	29.08
BP4-16-20	1 X 1 1/4	10 100	36.23
BP4-20-16	1 1/4 X 1	1 95	41.72
BP4-20-24	1 1/4 X 1 1/2	1 55	44.53
BP4-2-08	1/8 X 1/2	5 250	20.45
BP4-2-12	1/8 X 3/4	5 160	34.17
BP4-2-16	1/8 X 1	5 200	50.20
BP4-2-20	1/8 X 1 1/4	1 80	66.59
BP4-2-24	1/8 X 1 1/2	1 60	99.31
BP4-2-32	1/8 X 2	5 25	146.19
BP4-24-20	1 1/2 X 1 1/4	1 55	56.00
BP4-24-32	1 1/2 X 2	1 40	131.46
BP4-32-24	2 X 1 1/2	1 40	257.36
BP4-2-08-12	1/8 X 1/2 X 3/4	5 20	32.62
BP4-2-12-08	1/8 X 3/4 X 1/2	5 180	32.96
BP4-2-16-12	1/8 X 1 X 3/4	5 200	50.49
Male Union			
Press x Male Thread (MPT)	Press Fit	BP33-4-	
BP33-4-08	1/2	1 0	30.73
BP33-4-12	3/4	1 0	42.54

CELLO #	SIZE	BOX/MC	LIST
BP33-4-16	1	1 0	61.16
BP33-4-20	1 1/4	1 0	92.07
BP33-4-24	1 1/2	1 0	128.47
BP33-4-32	2	1 0	295.00
No Lead Ball Valves			
	Press Fit	BPVBAL-	
BPVBAL-08	1/2	15 75	27.40
BPVBAL-12	3/4	10 50	43.50
BPVBAL-16	1	6 12	66.50
BPVBAL-20	1 1/4	5 10	97.25
BPVBAL-24	1 1/2	4 8	135.00
BPVBAL-32	2	2 4	220.00
BPVBAL-40	2 1/2	1 1	417.50
BPVBAL-48	3	1 1	635.00
BPVBAL-64	4	1 1	1,060.00
No Stop Coupling			
Press x Press	Press Fit	BP0-NSTOP-	
BP0-NSTOP-08	1/2	10 450	11.11
BP0-NSTOP-12	3/4	10 260	14.78
BP0-NSTOP-16	1	5 170	18.12
BP0-NSTOP-20	1 1/4	1 80	27.57
BP0-NSTOP-24	1 1/2	1 50	42.53
BP0-NSTOP-32	2	1 30	49.52
BP0-NSTOP-40	2 1/2	1 32	130.35
BP0-NSTOP-48	3	1 18	167.42
BP0-NSTOP-64	4	1 12	235.46
Press x Press Union			
	Press Fit	BP33-	
BP33-08	1/2	1 0	35.23
BP33-12	3/4	1 0	64.95
BP33-16	1	1 0	73.79
BP33-20	1 1/4	1 0	105.37
BP33-24	1 1/2	1 0	285.00
BP33-32	2	1 0	232.97
Straight Coupling With Stop			
Press x Press	Press Fit	BP0-	



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
Straight Coupling With Stop...Continued				BP12-24	1 1/2	5 80	76.40
Press x Press	Press Fit	BP0-		BP12-12-12-08	3/4 X 3/4 X 1/2	5 100	35.11
BP0-08	1/2	10 450	4.48	BP12-16-16-08	1 X 1 X 1/2	5 70	44.93
BP0-12	3/4	10 260	6.82	BP12-16-16-12	1 X 1 X 3/4	5 60	52.17
BP0-16	1	5 170	13.77	BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1 0	119.95
BP0-20	1 1/4	1 80	17.12	BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1 0	66.24
BP0-24	1 1/2	1 50	31.90	BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1 32	76.26
BP0-32	2	1 30	40.71	BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1 0	110.80
BP0-40	2 1/2	1 32	130.35	BP12-32-32-08	2 X 2 X 1/2	1 0	92.85
BP0-48	3	1 18	167.42	BP12-32-32-12	2 X 2 X 3/4	1 0	91.41
BP0-64	4	1 12	230.47	Tees			
BP0-12-08	3/4 X 1/2	10 300	20.97	Press x Press x Press	Press Fit	BPT-	
BP0-16-08	1 X 1/2	10 200	36.60	BPT-08	1/2	10 200	7.64
BP0-16-12	1 X 3/4	10 200	23.44	BPT-12	3/4	10 120	13.46
BP0-20-08	1 1/4 X 1/2	1 80	81.18	BPT-16	1	5 70	24.27
BP0-20-12	1 1/4 X 3/4	1 80	52.88	BPT-20	1 1/4	1 45	41.04
BP0-20-16	1 1/4 X 1	1 80	34.07	BPT-24	1 1/2	1 25	79.75
BP0-24-08	1 1/2 X 1/2	1 65	113.51	BPT-32	2	1 15	98.53
BP0-24-12	1 1/2 X 3/4	1 65	64.64	BPT-40	2 1/2	1 10	323.29
BP0-24-16	1 1/2 X 1	1 70	58.02	BPT-48	3	1 7	404.09
BP0-24-20	1 1/2 X 1 1/4	1 60	50.23	BPT-64	4	1 4	566.99
BP0-32-08	2 X 1/2	1 45	151.34	BPT-08-08-12	1/2 X 1/2 X 3/4	10 140	25.58
BP0-32-12	2 X 3/4	1 45	60.38	BPT-08-08-16	1/2 X 1/2 X 1	5 140	36.28
BP0-32-16	2 X 1	1 45	85.90	BPT-12-08-08	3/4 X 1/2 X 1/2	10 150	20.77
BP0-32-20	2 X 1 1/4	1 40	71.43	BPT-12-08-12	3/4 X 1/2 X 3/4	5 120	21.59
BP0-32-24	2 X 1 1/2	1 40	56.48	BPT-12-12-08	3/4 X 3/4 X 1/2	10 140	11.30
BP0-40-16	2 1/2 X 1	1 0	249.61	BPT-12-12-16	3/4 X 3/4 X 1	5 80	40.71
BP0-40-20	2 1/2 X 1 1/4	1 0	259.54	BPT-16-08-12	1 X 1/2 X 3/4	5 80	62.03
BP0-40-24	2 1/2 X 1 1/2	1 0	262.24	BPT-16-08-16	1 X 1/2 X 1	5 80	39.09
BP0-40-32	2 1/2 X 2	1 30	263.93	BPT-16-12-08	1 X 3/4 X 1/2	5 100	41.27
BP0-48-24	3 X 1 1/2	1 24	290.18	BPT-16-12-12	1 X 3/4 X 3/4	5 100	36.89
BP0-48-32	3 X 2	1 24	290.91	BPT-16-12-16	1 X 3/4 X 1	5 70	41.76
BP0-48-40	3 X 2 1/2	1 24	341.06	BPT-16-16-08	1 X 1 X 1/2	5 100	27.75
BP0-64-32	4 X 2	1 10	361.81	BPT-16-16-12	1 X 1 X 3/4	5 80	27.57
BP0-64-40	4 X 2 1/2	1 10	390.44	BPT-16-16-20	1 X 1 X 1 1/4	1 70	72.49
BP0-64-48	4 X 3	1 10	429.84	BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1 40	80.98
Tee with Female Thread Branch (FPT)				BPT-20-12-08	1 1/4 X 3/4 X 1/2	1 50	63.19
Press x Press x Female Thread (FPT)	Press Fit	BP12-		BPT-20-12-12	1 1/4 X 3/4 X 3/4	1 50	70.67
BP12-08	1/2	5 0	39.95	BPT-20-12-16	1 1/4 X 3/4 X 1	1 45	73.50
BP12-12	3/4	5 80	43.95	BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	1 40	65.02
BP12-16	1	10 100	42.70	BPT-20-16-08	1 1/4 X 1 X 1/2	1 45	50.40
BP12-20	1 1/4	5 50	66.24	BPT-20-16-12	1 1/4 X 1 X 3/4	1 45	41.10
				BPT-20-16-16	1 1/4 X 1 X 1	1 50	44.25



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
Tees...Continued				BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1 12	430.84
Press x Press x Press				BPT-40-40-32	2 1/2 X 2 1/2 X 2	1 10	379.78
Press Fit				BPT-48-12-48	3 X 3/4 X 3	1 0	483.18
BPT-				BPT-48-16-48	3 X 1 X 3	1 0	511.83
BPT-20-16-20	1 1/4 X 1 X 1 1/4	5 25	52.81	BPT-48-32-32	3 X 2 X 2	1 9	511.43
BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	1 60	40.95	BPT-48-32-48	3 X 2 X 3	1 0	751.02
BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	1 55	37.60	BPT-48-40-32	3 X 2 1/2 X 2	1 0	503.77
BPT-20-20-16	1 1/4 X 1 1/4 X 1	1 50	39.04	BPT-48-40-40	3 X 2 1/2 X 2 1/2	1 0	556.34
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	1 30	101.18	BPT-48-48-08	3 X 3 X 1/2	1 0	502.44
BPT-24-16-12	1 1/2 X 1 X 3/4	1 30	101.14	BPT-48-48-12	3 X 3 X 3/4	1 12	491.08
BPT-24-16-16	1 1/2 X 1 X 1	1 30	112.89	BPT-48-48-16	3 X 3 X 1	1 12	475.14
BPT-24-16-24	1 1/2 X 1 X 1 1/2	1 25	126.70	BPT-48-48-20	3 X 3 X 1 1/4	1 10	475.14
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1 25	86.79	BPT-48-48-24	3 X 3 X 1 1/2	1 10	475.14
BPT-24-20-16	1 1/2 X 1 1/4 X 1	1 25	100.60	BPT-48-48-32	3 X 3 X 2	1 10	464.90
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	1 25	74.32	BPT-48-48-40	3 X 3 X 2 1/2	1 7	484.91
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	1 40	84.90	BPT-64-48-48	4 X 3 X 3	1 0	772.35
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	1 35	70.80	BPT-64-64-08	4 X 4 X 1/2	1 0	761.17
BPT-24-24-16	1 1/2 X 1 1/2 X 1	1 35	72.11	BPT-64-64-12	4 X 4 X 3/4	1 0	751.02
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	1 30	74.68	BPT-64-64-16	4 X 4 X 1	1 8	558.00
BPT-32-08-32	2 X 1/2 X 2	1 10	160.09	BPT-64-64-20	4 X 4 X 1 1/4	1 5	677.64
BPT-32-16-16	2 X 1 X 1	1 0	114.81	BPT-64-64-24	4 X 4 X 1 1/2	1 6	644.12
BPT-32-16-32	2 X 1 X 2	1 0	163.78	BPT-64-64-32	4 X 4 X 2	1 6	513.22
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1 20	165.39	BPT-64-64-40	4 X 4 X 2 1/2	1 4	528.93
BPT-32-24-12	2 X 1 1/2 X 3/4	1 20	141.80	BPT-64-64-48	4 X 4 X 3	1 4	579.80
BPT-32-24-16	2 X 1 1/2 X 1	1 20	139.98	BPT-64-64-48	4 X 4 X 3	1 4	579.80
BPT-32-24-20	2 X 1 1/2 X 1 1/4	1 16	144.60				
BPT-32-24-24	2 X 1 1/2 X 1 1/2	1 16	146.60				
BPT-32-24-32	2 X 1 1/2 X 2	1 16	136.47				
BPT-32-32-08	2 X 2 X 1/2	1 25	136.47				
BPT-32-32-12	2 X 2 X 3/4	1 25	115.38				
BPT-32-32-16	2 X 2 X 1	1 23	119.14				
BPT-32-32-20	2 X 2 X 1 1/4	1 20	119.22				
BPT-32-32-24	2 X 2 X 1 1/2	1 16	89.56				
BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1 0	479.27				
BPT-40-16-40	2 1/2 X 1 X 2 1/2	1 0	494.84				
BPT-40-24-32	2 1/2 X 1 1/2 X 2	1 0	617.98				
BPT-40-24-40	2 1/2 X 1 1/2 X 2 1/2	1 0	437.95				
BPT-40-32-12	2 1/2 X 2 X 3/4	1 0	460.47				
BPT-40-32-16	2 1/2 X 2 X 1	1 0	433.56				
BPT-40-32-24	2 1/2 X 2 X 1 1/2	1 0	407.14				
BPT-40-32-32	2 1/2 X 2 X 2	1 10	408.75				
BPT-40-32-40	2 1/2 X 2 X 2 1/2	1 0	460.72				
BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1 18	450.84				
BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1 18	450.84				
BPT-40-40-16	2 1/2 X 2 1/2 X 1	1 16	450.84				
BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1 15	450.84				



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrought*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.