

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61*

* wrought copper products

B Press Fittings

CANADA
Price List #2
Effective May 20, 2015

PRICE LIST

CANADA

210 Avenue Road
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail:
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
150# FLANGES				BP7-32	2	1 18	86.35
press x flange Press Fit BP41-				BP7-40	2 1/2	1 12	251.41
BP41-20	1 1/4	1 0	263.38	BP7-48	3	1 9	316.31
BP41-24	1 1/2	1 0	290.74	BP7-64	4	1 4	420.94
BP41-32	2	1 0	319.25	BP7-12-08	3/4 X 1/2	15 240	10.34
BP41-40	2 1/2	1 0	356.21	BP7-16-12	1 X 3/4	10 120	23.40
BP41-48	3	1 0	431.73	90° Bend with MPT Thread			
BP41-64	4	1 6	482.99	Press x Male Thread (MPT) Press Fit BP74-			
45° Elbow				BP74-08	1/2	5 0	21.74
Press x Press Press Fit BP6-				BP74-12	3/4	5 0	34.74
BP6-08	1/2	10 400	5.18	BP74-16	1	1 65	52.33
BP6-12	3/4	10 200	6.37	BP74-20	1 1/4	1 0	71.27
BP6-16	1	5 140	20.41	BP74-24	1 1/2	1 0	97.44
BP6-20	1 1/4	1 70	29.28	BP74-32	2	1 0	137.68
BP6-24	1 1/2	1 40	47.48	90° Elbow Drop Ear FIP Thread			
BP6-32	2	1 25	66.40	Press x Female Thread (FPT) Press Fit BP735-			
BP6-40	2 1/2	1 16	154.18	BP735-08	1/2	5 100	20.41
BP6-48	3	1 12	219.79	BP735-12	3/4	5 60	40.22
BP6-64	4	1 6	275.48	90° Elbow with FPT Thread			
45° Street Elbow				Press x Female Thread (FPT) Press Fit BP73-			
Press x Fitting Press Fit BP6-2-				BP73-08	1/2	5 0	13.75
BP6-2-08	1/2	10 450	3.99	BP73-12	3/4	5 0	21.89
BP6-2-12	3/4	10 260	5.92	BP73-16	1	1 0	38.59
BP6-2-16	1	5 140	20.03	BP73-20	1 1/4	1 0	65.52
BP6-2-20	1 1/4	1 70	28.24	BP73-24	1 1/2	1 0	83.99
BP6-2-24	1 1/2	1 40	43.19	BP73-32	2	1 0	133.39
BP6-2-32	2	1 25	64.02	90° Street Elbow			
BP6-2-40	2 1/2	1 16	177.62	Press x Press Press Fit BP7-2-			
BP6-2-48	3	1 12	256.97	BP7-2-08	1/2	10 400	4.44
BP6-2-64	4	1 6	324.64	BP7-2-12	3/4	10 200	7.53
90° Bend				BP7-2-16	1	5 100	17.31
Press x Press Press Fit BP7-				BP7-2-20	1 1/4	1 55	30.77
BP7-08	1/2	10 350	4.88	BP7-2-24	1 1/2	1 35	58.73
BP7-12	3/4	10 180	7.97	BP7-2-32	2	1 20	80.74
BP7-16	1	5 100	16.28	BP7-2-40	2 1/2	1 14	242.17
BP7-20	1 1/4	1 55	32.71	BP7-2-48	3	1 9	281.61
BP7-24	1 1/2	1 30	62.12				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
90° Street Elbow...Continued				BP3-2-16	1/8 X 1	20 200	45.22
Press x Press		Press Fit	BP7-2-	BP3-2-20	1/8 X 1 1/4	10 100	78.81
BP7-2-64	4	1 4	390.00	BP3-2-24	1/8 X 1 1/2	5 100	87.86
Cap				BP3-2-32	1/8 X 2	5 50	148.86
Press		Press Fit	BP17-	BP3-24-20	1 1/2 X 1 1/4	1 55	57.08
BP17-08	1/2	10 450	8.58	BP3-2-08-12	1/8 X 1/2 X 3/4	5 100	23.22
BP17-12	3/4	10 450	14.48	BP3-2-12-08	1/8 X 3/4 X 1/2	25 250	26.69
BP17-16	1	5 250	22.33	BP3-2-16-12	1/8 X 1 X 3/4	10 100	42.53
BP17-20	1 1/4	1 100	25.28	Female Union			
BP17-24	1 1/2	1 80	39.19	Press x Female Thread (FPT)		Press Fit	BP33-3-
BP17-32	2	1 55	47.60	BP33-3-08	1/2	1 192	25.14
BP17-40	2 1/2	1 40	152.27	BP33-3-12	3/4	1 90	32.25
BP17-48	3	1 36	192.74	BP33-3-16	1	1 48	53.54
BP17-64	4	1 24	256.82	BP33-3-20	1 1/4	1 28	67.74
Crossover Coupling				BP33-3-24	1 1/2	1 24	106.49
Press x Press		Press Fit	BP36-	BP33-3-32	2	1 16	140.54
BP36-08	1/2	10 0	27.94	Fitting Reducer			
BP36-12	3/4	10 0	34.74	Press x Fitting		Press Fit	BP02-
Female Adapter				BP02-12-08	3/4 X 1/2	10 400	4.44
Press x Female Pipe Thread (FPT)		Press Fit	BP3-	BP02-16-08	1 X 1/2	10 300	11.40
BP3-08	1/2	10 300	5.92	BP02-16-12	1 X 3/4	10 240	11.85
BP3-12	3/4	10 150	9.61	BP02-20-08	1 1/4 X 1/2	5 180	13.81
BP3-16	1	10 180	17.75	BP02-20-12	1 1/4 X 3/4	5 170	14.08
BP3-20	1 1/4	1 80	40.07	BP02-20-16	1 1/4 X 1	5 150	15.82
BP3-24	1 1/2	1 55	58.28	BP02-24-08	1 1/2 X 1/2	5 130	39.83
BP3-32	2	1 40	98.92	BP02-24-12	1 1/2 X 3/4	1 70	23.54
BP3-40	2 1/2	1 36	254.56	BP02-24-16	1 1/2 X 1	1 70	23.21
BP3-48	3	1 24	416.94	BP02-24-20	1 1/2 X 1 1/4	1 70	23.37
BP3-08-12	1/2 X 3/4	10 180	12.13	BP02-32-08	2 X 1/2	1 50	50.74
BP3-12-08	3/4 X 1/2	10 180	8.86	BP02-32-12	2 X 3/4	1 50	51.23
BP3-16-08	1 X 1/2	10 200	33.81	BP02-32-16	2 X 1	1 50	26.33
BP3-16-12	1 X 3/4	10 200	31.35	BP02-32-20	2 X 1 1/4	1 50	33.03
BP3-16-20	1 X 1 1/4	10 180	36.01	BP02-32-24	2 X 1 1/2	1 40	31.35
BP3-20-16	1 1/4 X 1	1 55	33.57	BP02-40-16	2 1/2 X 1	1 38	112.77
BP3-20-24	1 1/4 X 1 1/2	1 55	58.68	BP02-40-20	2 1/2 X 1 1/4	1 38	158.45
BP3-2-08	1/8 X 1/2	25 250	20.42	BP02-40-24	2 1/2 X 1 1/2	1 35	159.39
BP3-2-12	1/8 X 3/4	25 250	30.12	BP02-40-32	2 1/2 X 2	1 35	137.05
				BP02-48-20	3 X 1 1/4	1 25	183.48
				BP02-48-24	3 X 1 1/2	1 20	174.37
				BP02-48-32	3 X 2	1 20	169.68
				BP02-48-40	3 X 2 1/2	1 17	174.79



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
Fitting Reducer...Continued				BP33-4-16	1	1 32	54.44
Press x Fitting		Press Fit	BP02-	BP33-4-20	1 1/4	1 28	81.94
BP02-64-32	4 X 2	1 10	230.99	BP33-4-24	1 1/2	1 24	114.34
BP02-64-40	4 X 2 1/2	1 10	213.38	BP33-4-32	2	1 16	148.89
BP02-64-48	4 X 3	1 10	225.51	No Lead Ball Valves			
Male Adapter						Press Fit	BPVBAL-
Press x Male Pipe Thread (MPT)		Press Fit	BP4-	BPVBAL-08	1/2	15 75	27.40
BP4-08	1/2	10 300	4.88	BPVBAL-12	3/4	10 50	43.50
BP4-12	3/4	10 160	8.86	BPVBAL-16	1	6 12	66.50
BP4-16	1	10 160	16.27	BPVBAL-20	1 1/4	5 10	97.25
BP4-20	1 1/4	1 80	35.64	BPVBAL-24	1 1/2	4 8	135.00
BP4-24	1 1/2	1 20	49.99	BPVBAL-32	2	2 4	220.00
BP4-32	2	1 35	96.27	BPVBAL-40	2 1/2	1 1	417.50
BP4-40	2 1/2	1 28	238.27	BPVBAL-48	3	1 1	635.00
BP4-48	3	1 18	299.77	BPVBAL-64	4	1 1	1,060.00
BP4-64	4	1 12	347.00	No Stop Coupling			
BP4-08-12	1/2 X 3/4	10 180	9.61	Press x Press		Press Fit	BP0-NSTOP-
BP4-12-08	3/4 X 1/2	10 180	10.06	BP0-NSTOP-08	1/2	10 450	9.88
BP4-12-16	3/4 X 1	10 200	24.75	BP0-NSTOP-12	3/4	10 260	13.15
BP4-16-12	1 X 3/4	10 180	25.88	BP0-NSTOP-16	1	5 170	16.13
BP4-16-20	1 X 1 1/4	10 100	32.25	BP0-NSTOP-20	1 1/4	1 80	24.54
BP4-20-16	1 1/4 X 1	1 95	37.13	BP0-NSTOP-24	1 1/2	1 50	37.85
BP4-20-24	1 1/4 X 1 1/2	1 55	39.64	BP0-NSTOP-32	2	1 30	44.07
BP4-2-08	1/8 X 1/2	5 250	18.20	BP0-NSTOP-40	2 1/2	1 32	116.01
BP4-2-12	1/8 X 3/4	5 160	30.41	BP0-NSTOP-48	3	1 18	149.00
BP4-2-16	1/8 X 1	5 200	44.68	BP0-NSTOP-64	4	1 12	209.56
BP4-2-20	1/8 X 1 1/4	5 80	59.27	Press x Press Union			
BP4-2-24	1/8 X 1 1/2	1 60	88.38			Press Fit	BP33-
BP4-2-32	1/8 X 2	5 25	130.11	BP33-08	1/2	1 144	31.35
BP4-24-20	1 1/2 X 1 1/4	1 55	49.84	BP33-12	3/4	1 60	41.12
BP4-24-32	1 1/2 X 2	1 40	117.00	BP33-16	1	1 32	65.67
BP4-32-24	2 X 1 1/2	1 40	229.05	BP33-20	1 1/4	1 28	93.78
BP4-2-08-12	1/8 X 1/2 X 3/4	5 20	29.03	BP33-24	1 1/2	1 24	127.35
BP4-2-12-08	1/8 X 3/4 X 1/2	5 180	29.33	BP33-32	2	1 16	207.34
BP4-2-16-12	1/8 X 1 X 3/4	5 200	44.94	Straight Coupling With Stop			
Male Union				Press x Press		Press Fit	BP0-
Press x Male Thread (MPT)		Press Fit	BP33-4-	BP33-4-08	1/2	1 144	27.35
BP33-4-08	1/2	1 144	27.35	BP33-4-12	3/4	1 60	37.86



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
Straight Coupling With Stop...Continued				BP12-16-16-12	1 X 1 X 3/4	5 60	46.43
Press x Press	Press Fit	BP0-		BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1 0	57.26
BP0-08	1/2	10 450	3.99	BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1 0	59.38
BP0-12	3/4	10 260	6.07	BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1 32	67.87
BP0-16	1	5 170	12.26	BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1 0	98.61
BP0-20	1 1/4	1 80	15.24	BP12-32-32-08	2 X 2 X 1/2	1 0	82.64
BP0-24	1 1/2	1 50	28.39	BP12-32-32-12	2 X 2 X 3/4	1 0	81.35
BP0-32	2	1 30	36.24	Tees			
BP0-40	2 1/2	1 32	116.01	Press x Press x Press	Press Fit	BPT-	
BP0-48	3	1 18	149.00	BPT-08	1/2	10 200	6.80
BP0-64	4	1 12	205.12	BPT-12	3/4	10 120	11.98
BP0-12-08	3/4 X 1/2	10 300	18.66	BPT-16	1	5 70	21.60
BP0-16-08	1 X 1/2	10 200	32.57	BPT-20	1 1/4	1 45	36.53
BP0-16-12	1 X 3/4	10 200	20.86	BPT-24	1 1/2	1 25	70.98
BP0-20-08	1 1/4 X 1/2	1 80	72.25	BPT-32	2	1 15	87.69
BP0-20-12	1 1/4 X 3/4	1 80	47.06	BPT-40	2 1/2	1 10	287.73
BP0-20-16	1 1/4 X 1	1 80	30.32	BPT-48	3	1 7	359.64
BP0-24-08	1 1/2 X 1/2	1 65	101.03	BPT-64	4	1 4	504.62
BP0-24-12	1 1/2 X 3/4	1 65	57.53	BPT-08-08-12	1/2 X 1/2 X 3/4	10 140	22.77
BP0-24-16	1 1/2 X 1	1 70	51.64	BPT-08-08-16	1/2 X 1/2 X 1	5 140	32.29
BP0-24-20	1 1/2 X 1 1/4	1 60	44.71	BPT-12-08-08	3/4 X 1/2 X 1/2	10 150	18.48
BP0-32-08	2 X 1/2	1 45	134.69	BPT-12-08-12	3/4 X 1/2 X 3/4	5 120	19.21
BP0-32-12	2 X 3/4	1 45	53.74	BPT-12-12-08	3/4 X 3/4 X 1/2	10 140	10.06
BP0-32-16	2 X 1	1 45	76.45	BPT-12-12-16	3/4 X 3/4 X 1	5 80	36.24
BP0-32-20	2 X 1 1/4	1 40	63.58	BPT-16-08-12	1 X 1/2 X 3/4	5 80	55.21
BP0-32-24	2 X 1 1/2	1 40	50.27	BPT-16-08-16	1 X 1/2 X 1	5 80	34.79
BP0-40-16	2 1/2 X 1	1 0	222.16	BPT-16-12-08	1 X 3/4 X 1/2	5 100	36.73
BP0-40-20	2 1/2 X 1 1/4	1 0	230.99	BPT-16-12-12	1 X 3/4 X 3/4	5 100	32.84
BP0-40-24	2 1/2 X 1 1/2	1 0	233.39	BPT-16-12-16	1 X 3/4 X 1	5 70	37.16
BP0-40-32	2 1/2 X 2	1 30	234.90	BPT-16-16-08	1 X 1 X 1/2	5 100	24.69
BP0-48-24	3 X 1 1/2	1 24	258.26	BPT-16-16-12	1 X 1 X 3/4	5 80	24.54
BP0-48-32	3 X 2	1 24	258.91	BPT-16-16-20	1 X 1 X 1 1/4	1 70	64.52
BP0-48-40	3 X 2 1/2	1 24	303.55	BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1 40	72.07
BP0-64-32	4 X 2	1 10	322.01	BPT-20-12-08	1 1/4 X 3/4 X 1/2	1 50	56.24
BP0-64-40	4 X 2 1/2	1 10	347.49	BPT-20-12-12	1 1/4 X 3/4 X 3/4	1 50	62.90
BP0-64-48	4 X 3	1 10	382.55	BPT-20-12-16	1 1/4 X 3/4 X 1	1 45	65.41
Tee with Female Thread Branch (FPT)				BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	1 40	57.87
Press x Press x Female Thread (FPT)	Press Fit	BP12-		BPT-20-16-08	1 1/4 X 1 X 1/2	1 45	44.86
BP12-08	1/2	5 0	23.03	BPT-20-16-12	1 1/4 X 1 X 3/4	1 45	36.58
BP12-12	3/4	5 80	39.12	BPT-20-16-16	1 1/4 X 1 X 1	1 50	39.38
BP12-12-12-08	3/4 X 3/4 X 1/2	5 100	31.25	BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	1 60	30.66
BP12-16-16-08	1 X 1 X 1/2	5 70	39.99	BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	1 55	33.46
				BPT-20-20-16	1 1/4 X 1 1/4 X 1	1 50	34.74



CELLO PRODUCTS INC

CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
Tees...Continued				BPT-48-32-48	3 X 2 X 3	1 0	668.41
Press x Press x Press				BPT-48-40-32	3 X 2 1/2 X 2	1 0	448.36
Press Fit				BPT-48-40-40	3 X 2 1/2 X 2 1/2	1 0	495.15
BPT-				BPT-48-48-08	3 X 3 X 1/2	1 0	447.17
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	1 30	90.05	BPT-48-48-12	3 X 3 X 3/4	1 12	437.07
BPT-24-16-12	1 1/2 X 1 X 3/4	1 30	90.02	BPT-48-48-16	3 X 3 X 1	1 12	422.87
BPT-24-16-16	1 1/2 X 1 X 1	1 30	100.47	BPT-48-48-20	3 X 3 X 1 1/4	1 10	422.87
BPT-24-16-24	1 1/2 X 1 X 1 1/2	1 25	112.77	BPT-48-48-24	3 X 3 X 1 1/2	1 10	422.87
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1 25	77.24	BPT-48-48-32	3 X 3 X 2	1 10	413.76
BPT-24-20-16	1 1/2 X 1 1/4 X 1	1 25	89.54	BPT-48-48-40	3 X 3 X 2 1/2	1 7	431.57
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	1 25	66.14	BPT-64-48-48	4 X 3 X 3	1 0	687.39
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	1 40	75.57	BPT-64-64-08	4 X 4 X 1/2	1 0	677.44
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	1 35	63.01	BPT-64-64-12	4 X 4 X 3/4	1 0	668.41
BPT-24-24-16	1 1/2 X 1 1/2 X 1	1 35	64.18	BPT-64-64-16	4 X 4 X 1	1 8	496.62
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	1 30	66.46	BPT-64-64-20	4 X 4 X 1 1/4	1 5	603.10
BPT-32-08-32	2 X 1/2 X 2	1 10	142.48	BPT-64-64-24	4 X 4 X 1 1/2	1 6	573.26
BPT-32-16-16	2 X 1 X 1	1 0	102.18	BPT-64-64-32	4 X 4 X 2	1 6	456.77
BPT-32-16-32	2 X 1 X 2	1 0	145.77	BPT-64-64-40	4 X 4 X 2 1/2	1 4	470.75
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1 20	147.20	BPT-64-64-48	4 X 4 X 3	1 4	516.03
BPT-32-24-12	2 X 1 1/2 X 3/4	1 20	126.20	BPT-64-64-48	4 X 4 X 3	1 4	516.03
BPT-32-24-16	2 X 1 1/2 X 1	1 20	124.58				
BPT-32-24-20	2 X 1 1/2 X 1 1/4	1 16	128.69				
BPT-32-24-24	2 X 1 1/2 X 1 1/2	1 16	130.48				
BPT-32-24-32	2 X 1 1/2 X 2	1 16	121.46				
BPT-32-32-08	2 X 2 X 1/2	1 25	121.46				
BPT-32-32-12	2 X 2 X 3/4	1 25	102.69				
BPT-32-32-16	2 X 2 X 1	1 23	106.04				
BPT-32-32-20	2 X 2 X 1 1/4	1 20	106.11				
BPT-32-32-24	2 X 2 X 1 1/2	1 16	79.71				
BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1 0	426.55				
BPT-40-16-40	2 1/2 X 1 X 2 1/2	1 0	440.41				
BPT-40-24-40	2 1/2 X 1 1/2 X 2 1/2	1 0	389.77				
BPT-40-32-12	2 1/2 X 2 X 3/4	1 0	409.82				
BPT-40-32-16	2 1/2 X 2 X 1	1 0	385.87				
BPT-40-32-24	2 1/2 X 2 X 1 1/2	1 0	362.35				
BPT-40-32-32	2 1/2 X 2 X 2	1 10	363.79				
BPT-40-32-40	2 1/2 X 2 X 2 1/2	1 0	410.04				
BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1 18	401.25				
BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1 18	401.25				
BPT-40-40-16	2 1/2 X 2 1/2 X 1	1 16	401.25				
BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1 15	401.25				
BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1 12	383.44				
BPT-40-40-32	2 1/2 X 2 1/2 X 2	1 10	338.01				
BPT-48-12-48	3 X 3/4 X 3	1 0	430.03				
BPT-48-16-48	3 X 1 X 3	1 0	455.53				
BPT-48-32-32	3 X 2 X 2	1 9	455.17				



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrought*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.