

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61*

* wrought copper products

Threaded Brass

CANADA
Price List #10
Effective March 15, 2014

PRICE LIST

CANADA

210 Avenue Road, PO Box 37
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail: cello@cello.on.ca



U.S.A.

Frank Longenecker

Telephone: (262) 740-1592
Fax: (262) 740-1593

e-mail:
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
45 Elbows				TB7-12-08	3/4 X 1/2	30 120	41.64
45 Elbow		Threaded	TB6-	TB7-16-08	1 X 1/2	25 100	72.70
TB6-02	1/8	200 800	22.50	TB7-16-12	1 X 3/4	25 100	72.70
TB6-04	1/4	120 480	22.50	TB7-20-12	1 1/4 X 3/4	1 50	110.57
TB6-06	3/8	75 300	22.50	TB7-20-16	1 1/4 X 1	1 50	110.57
TB6-08	1/2	50 200	22.50	TB7-24-08	1 1/2 X 1/2	1 30	141.08
TB6-12	3/4	25 100	32.04	TB7-24-12	1 1/2 X 3/4	1 35	141.08
TB6-16	1	1 90	54.51	TB7-24-16	1 1/2 X 1	1 45	141.08
TB6-20	1 1/4	1 50	86.52	TB7-24-20	1 1/2 X 1 1/4	1 35	141.08
TB6-24	1 1/2	1 40	108.77	TB7-32-16	2 X 1	1 24	251.44
TB6-32	2	1 25	176.02	TB7-32-20	2 X 1 1/4	1 24	251.44
45 Elbows				TB7-32-24	2 X 1 1/2	1 24	251.44
45 Elbow - Street		Threaded	TB6-S-	90 Elbows			
TB6-S-02	1/8	200 800	28.84	90 Elbow - Street		Threaded	TB7-S-
TB6-S-04	1/4	120 480	28.84	TB7-S-02	1/8	200 800	25.67
TB6-S-08	1/2	50 200	28.84	TB7-S-04	1/4	100 400	25.67
TB6-S-12	3/4	25 100	41.58	TB7-S-06	3/8	60 240	25.67
TB6-S-16	1	1 80	70.42	TB7-S-08	1/2	50 200	25.67
TB6-S-20	1 1/4	1 50	108.77	TB7-S-12	3/4	25 100	35.24
TB6-S-24	1 1/2	1 40	161.81	TB7-S-16	1	1 60	57.68
TB6-S-32	2	1 20	252.73	TB7-S-20	1 1/4	1 40	105.60
90 Elbows				TB7-S-24	1 1/2	1 35	115.15
90 Elbow		Threaded	TB7-	TB7-S-32	2	1 20	195.29
TB7-02	1/8	100 400	19.33	Caps			
TB7-04	1/4	100 400	19.33	Caps		Threaded	TB17-
TB7-06	3/8	75 300	19.33	TB17-02	1/8	300 1,200	12.74
TB7-08	1/2	50 200	19.33	TB17-04	1/4	250 1,000	12.74
TB7-12	3/4	25 100	25.67	TB17-06	3/8	150 600	12.74
TB7-16	1	1 80	41.58	TB17-08	1/2	100 400	13.01
TB7-20	1 1/4	1 50	67.22	TB17-12	3/4	50 200	16.99
TB7-24	1 1/2	1 35	83.38	TB17-16	1	40 160	29.08
TB7-32	2	1 20	134.41	TB17-20	1 1/4	25 100	51.13
TB7-40	2 1/2	1 10	385.91	TB17-24	1 1/2	1 100	67.22
TB7-48	3	1 6	709.00	TB17-32	2	1 70	115.15
TB7-64	4	1 2	1,438.94	TB17-40	2 1/2	1 35	263.98
TB7-06-04	3/8 X 1/4	90 360	30.57	TB17-48	3	1 5	487.62
TB7-08-04	1/2 X 1/4	50 200	30.57	Couplings			
TB7-08-06	1/2 X 3/8	50 200	30.57	Coupling		Threaded	TB1-
TB7-12-04	3/4 X 1/4	40 160	41.64				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST	
Couplings...Continued				TB35-02	1/8	60 240	40.36	
Coupling	Threaded	TB1-		TB35-04	1/4	60 240	40.36	
TB1-02	1/8	200	800	16.13	TB35-06	3/8	35 140	40.36
TB1-04	1/4	150	600	16.13	TB35-08	1/2	25 100	49.96
TB1-06	3/8	100	400	16.13	TB35-12	3/4	1 60	71.26
TB1-08	1/2	50	200	16.13	TB35-20	1 1/4	1 24	186.61
TB1-12	3/4	25	100	22.44	TB35-24	1 1/2	1 22	256.92
TB1-16	1	1	100	38.38	TB35-32	2	1 12	526.52
TB1-20	1 1/4	1	75	64.13	Flanges			
TB1-24	1 1/2	1	50	83.35	Floor Flanges	Threaded	TB102-	
TB1-32	2	1	30	137.64	TB102-12	3/4	15 60	61.03
TB1-48	3	1	1	463.69	TB102-16	1	1 40	98.51
TB1-64	4	1	6	957.30	Flanges			
TB1-04-02	1/4 X 1/8	150	600	19.09	Companion Flanges	Threaded	TB41-	
TB1-06-04	3/8 X 1/4	90	360	19.09	TB41-08	1/2	1 25	299.16
TB1-08-02	1/2 X 1/8	75	300	25.67	TB41-12	3/4	1 25	311.12
TB1-08-04	1/2 X 1/4	75	300	19.09	TB41-16	1	1 40	356.00
TB1-08-06	1/2 X 3/8	70	280	19.09	TB41-20	1 1/4	1 25	415.83
TB1-12-04	3/4 X 1/4	50	200	35.25	TB41-24	1 1/2	1 15	514.55
TB1-12-06	3/4 X 3/8	45	180	25.73	TB41-40	2 1/2	1 10	1,047.05
TB1-12-08	3/4 X 1/2	45	180	25.73	TB41-48	3	1 8	1,552.62
TB1-16-04	1 X 1/4	1	1	57.71	TB41-64	4	1 5	2,222.73
TB1-16-08	1 X 1/2	30	120	42.63	Hex Bushing			
TB1-16-12	1 X 3/4	25	100	42.63	Reducing	Threaded	TB12-	
TB1-20-08	1 1/4 X 1/2	1	90	92.91	TB12-04-02	1/4 X 1/8	150 600	12.74
TB1-20-12	1 1/4 X 3/4	1	90	83.38	TB12-06-02	3/8 X 1/8	250 1,000	12.74
TB1-20-16	1 1/4 X 1	1	80	83.38	TB12-06-04	3/8 X 1/4	250 1,000	12.74
TB1-24-08	1 1/2 X 1/2	1	75	115.14	TB12-08-02	1/2 X 1/8	150 600	16.15
TB1-24-12	1 1/2 X 3/4	1	75	115.14	TB12-08-04	1/2 X 1/4	150 600	12.74
TB1-24-16	1 1/2 X 1	1	65	105.60	TB12-08-06	1/2 X 3/8	150 600	12.74
TB1-24-20	1 1/2 X 1 1/4	1	60	105.60	TB12-12-02	3/4 X 1/8	90 360	22.49
TB1-32-08	2 X 1/2	1	40	172.81	TB12-12-04	3/4 X 1/4	90 360	22.49
TB1-32-12	2 X 3/4	1	40	172.81	TB12-12-06	3/4 X 3/8	90 360	16.15
TB1-32-16	2 X 1	1	40	172.81	TB12-12-08	3/4 X 1/2	90 360	16.15
TB1-32-20	2 X 1 1/4	1	40	163.49	TB12-16-02	1 X 1/8	1 1	32.05
TB1-32-24	2 X 1 1/2	1	35	163.49	TB12-16-04	1 X 1/4	50 200	32.05
TB1-40-24	2 1/2 X 1 1/2	1	20	344.03	TB12-16-06	1 X 3/8	50 200	32.05
TB1-40-32	2 1/2 X 2	1	20	344.03	TB12-16-08	1 X 1/2	50 200	22.50
TB1-48-24	3 X 1 1/2	1	16	670.10	Crosses			
TB1-48-32	3 X 2	1	16	604.30	Crosses	Threaded	TB35-	



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
Hex Bushing...Continued				TBP-H-12	3/4	100 400	16.13
Reducing Threaded TB12-				TBP-H-16	1	50 200	25.67
TB12-16-12	1 X 3/4	50 200	22.50	TBP-H-20	1 1/4	35 140	34.97
TB12-20-06	1 1/4 X 3/8	50 200	54.51	TBP-H-24	1 1/2	30 120	44.99
TB12-20-08	1 1/4 X 1/2	40 160	54.51	TBP-H-32	2	1 100	73.59
TB12-20-12	1 1/4 X 3/4	40 160	38.38	TBP-H-40	2 1/2	1 40	156.07
TB12-20-16	1 1/4 X 1	40 160	38.38	TBP-H-48	3	1 32	296.16
TB12-24-06	1 1/2 X 3/8	1 60	70.42	Plugs			
TB12-24-08	1 1/2 X 1/2	30 120	70.42	Plug, Solid Threaded TBP-S-			
TB12-24-12	1 1/2 X 3/4	1 120	70.42	TBP-S-02	1/8	900 3,600	16.13
TB12-24-16	1 1/2 X 1	1 120	54.51	TBP-S-04	1/4	500 2,000	16.13
TB12-24-20	1 1/2 X 1 1/4	1 120	54.51	TBP-S-06	3/8	250 1,000	16.13
TB12-32-08	2 X 1/2	1 70	102.44	TBP-S-08	1/2	50 300	16.13
TB12-32-12	2 X 3/4	1 70	102.44	TBP-S-12	3/4	50 200	21.12
TB12-32-16	2 X 1	1 70	102.44	TBP-S-16	1	25 150	40.54
TB12-32-20	2 X 1 1/4	1 65	68.81	TBP-S-20	1 1/4		89.54
TB12-32-24	2 X 1 1/2	1 65	68.81	TBP-S-24	1 1/2		94.83
TB12-40-16	2 1/2 X 1	1 40	256.13	TBP-S-32	2	1 100	144.01
TB12-40-20	2 1/2 X 1 1/4	1 40	256.13	TBP-S-40	2 1/2		379.93
TB12-40-24	2 1/2 X 1 1/2	1 40	212.07	Tees			
TB12-40-32	2 1/2 X 2	1 40	212.07	Tee Threaded TBT-			
TB12-48-20	3 X 1 1/4	1 24	448.73	TBT-02	1/8	120 480	22.50
TB12-48-32	3 X 2	1 24	373.95	TBT-04	1/4	75 300	22.50
TB12-48-40	3 X 2 1/2	1 24	373.95	TBT-06	3/8	50 200	22.50
TB12-64-32	4 X 2	1 5	1,124.83	TBT-08	1/2	25 100	22.50
TB12-64-48	4 X 3	1 5	819.69	TBT-12	3/4	1 85	32.04
Locknuts				TBT-16	1	1 50	57.71
Locknuts Threaded TBLOCKNUT-				TBT-20	1 1/4	1 35	99.26
TBLOCKNUT-08	1/2		12.74	TBT-24	1 1/2	1 24	111.97
Plugs				TBT-32	2	1 15	185.54
Plug, Countersunk Threaded TBP-CS-				TBT-48	3	1 4	966.27
TBP-CS-08	1/2	150 600	17.05	TBT-08-04-08	1/2 X 1/4 X 1/2	35 140	38.11
TBP-CS-12	3/4	100 400	26.39	TBT-08-08-04	1/2 X 1/2 X 1/4	35 140	38.11
TBP-CS-16	1	150 200	42.72	TBT-08-08-06	1/2 X 1/2 X 3/8	35 140	38.11
Plugs				TBT-08-08-12	1/2 X 1/2 X 3/4	25 100	38.11
Plug, Cored (Hollow) Threaded TBP-H-				TBT-12-08-08	3/4 X 1/2 X 1/2	25 100	38.38
TBP-H-08	1/2	150 600	13.40	TBT-12-08-12	3/4 X 1/2 X 3/4	25 100	38.38
				TBT-12-12-04	3/4 X 3/4 X 1/4	25 100	38.38
				TBT-12-12-08	3/4 X 3/4 X 1/2	25 100	38.38
				TBT-16-08-12	1 X 1/2 X 3/4	1 70	106.77



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
---------	------	--------	------	---------	------	--------	------

Tees...Continued				
Tee		Threaded		TBT-
TBT-16-08-16	1 X 1/2 X 1	1	50	106.77
TBT-16-12-12	1 X 3/4 X 3/4	1	65	106.77
TBT-16-12-16	1 X 3/4 X 1	1	60	106.77
TBT-16-16-08	1 X 1 X 1/2	1	75	106.77
TBT-16-16-12	1 X 1 X 3/4	1	70	106.77
TBT-20-20-08	1 1/4 X 1 1/4 X 1/2	1	45	152.51
TBT-20-20-12	1 1/4 X 1 1/4 X 3/4	1	40	152.51
TBT-20-20-16	1 1/4 X 1 1/4 X 1	1	35	152.51
TBT-24-24-08	1 1/2 X 1 1/2 X 1/2	1	30	205.70
TBT-24-24-12	1 1/2 X 1 1/2 X 3/4	1	30	205.70
TBT-24-24-16	1 1/2 X 1 1/2 X 1	1	30	205.70
TBT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	1	26	205.70
TBT-32-32-08	2 X 2 X 1/2	1	20	344.03
TBT-32-32-12	2 X 2 X 3/4	1	20	344.03
TBT-32-32-16	2 X 2 X 1	1	16	344.03
TBT-32-32-20	2 X 2 X 1 1/4	1	16	344.03
TBT-32-32-24	2 X 2 X 1 1/2	1	16	344.03
Unions				
Unions		Threaded		TB33-
TB33-02	1/8	90	360	58.75
TB33-04	1/4	60	240	58.75
TB33-06	3/8	30	120	51.13
TB33-08	1/2	25	100	51.13
TB33-12	3/4	20	80	70.42
TB33-16	1	1	70	92.89
TB33-20	1 1/4	1	45	210.00
TB33-24	1 1/2	1	25	265.00
TB33-32	2	1	33	355.00
TB33-40	2 1/2	1	40	792.76
TB33-48	3	1	8	1,471.85
TB33-48	3	1	8	1,471.85



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrot*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taking in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.