

# CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61\*

\* wrot copper products

## C Press Fittings

USA

Price List #3

Effective March 1, 2017

## PRICE LIST

CANADA

210 Avenue Road  
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150  
Fax: (519) 621-4108  
Customer Service: 1-800-265-7882  
e-mail:  
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:  
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>150# FLANGES</b>				BP7-32	2	1 18	66.51
<b>press x flange Press Fit BP41-</b>				BP7-40	2 1/2	1 12	193.13
BP41-20	1 1/4	1 0	213.47	BP7-48	3	1 9	242.97
BP41-24	1 1/2	1 0	235.65	BP7-64	4	1 4	300.60
BP41-32	2	1 0	264.74	BP7-12-08	3/4 X 1/2	15 240	8.56
BP41-40	2 1/2	1 0	295.39	BP7-16-12	1 X 3/4	10 120	19.40
BP41-48	3	1 0	358.01	<b>90° Bend with MPT Thread</b>			
BP41-64	4	1 6	400.52	<b>Press x Male Thread (MPT) Press Fit BP74-</b>			
<b>45° Elbow</b>				BP74-08	1/2	5 0	18.49
<b>Press x Press Press Fit BP6-</b>				BP74-12	3/4	5 0	29.56
BP6-08	1/2	10 400	4.32	BP74-16	1	1 65	44.55
BP6-12	3/4	10 200	5.31	BP74-20	1 1/4	1 0	60.60
BP6-16	1	5 140	16.96	BP74-24	1 1/2	1 0	82.90
BP6-20	1 1/4	1 70	24.31	BP74-32	2	1 0	117.05
BP6-24	1 1/2	1 40	39.39	<b>90° Elbow Drop Ear FIP Thread</b>			
BP6-32	2	1 25	55.12	<b>Press x Female Thread (FPT) Press Fit BP735-</b>			
BP6-40	2 1/2	1 16	127.59	BP735-08	1/2	5 100	18.13
BP6-48	3	1 12	182.26	BP735-12	3/4	5 60	35.68
BP6-64	4	1 6	253.12	<b>90° Elbow with FPT Thread</b>			
<b>45° Street Elbow</b>				<b>Press x Female Thread (FPT) Press Fit BP73-</b>			
<b>Press x Fitting Press Fit BP6-2-</b>				BP73-08	1/2	5 0	12.22
BP6-2-08	1/2	10 450	3.35	BP73-12	3/4	5 0	19.43
BP6-2-12	3/4	10 260	4.95	BP73-16	1	1 0	33.55
BP6-2-16	1	5 140	16.23	BP73-20	1 1/4	1 0	56.95
BP6-2-20	1 1/4	1 70	23.44	BP73-24	1 1/2	1 0	74.46
BP6-2-24	1 1/2	1 40	35.84	BP73-32	2	1 0	118.21
BP6-2-32	2	1 25	53.14	<b>90° Street Elbow</b>			
BP6-2-40	2 1/2	1 16	147.29	<b>Press x Press Press Fit BP7-2-</b>			
BP6-2-48	3	1 12	213.08	BP7-2-08	1/2	10 400	3.72
BP6-2-64	4	1 6	269.20	BP7-2-12	3/4	10 200	6.26
<b>90° Bend</b>				BP7-2-16	1	5 100	14.39
<b>Press x Press Press Fit BP7-</b>				BP7-2-20	1 1/4	1 55	25.55
BP7-08	1/2	10 350	3.72	BP7-2-24	1 1/2	1 35	48.74
BP7-12	3/4	10 180	6.26	BP7-2-32	2	1 20	66.99
BP7-16	1	5 100	12.55	BP7-2-40	2 1/2	1 14	200.82
BP7-20	1 1/4	1 55	25.29	BP7-2-48	3	1 9	233.53
BP7-24	1 1/2	1 35	47.85				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>90° Street Elbow...Continued</b>				BP3-2-16	1/8 X 1	20 200	36.65
<b>Press x Press Press Fit BP7-2-</b>				BP3-2-20	1/8 X 1 1/4	10 100	63.87
BP7-2-64	4	1 4	297.40	BP3-2-24	1/8 X 1 1/2	5 100	71.21
<b>Cap</b>				BP3-2-32	1/8 X 2	5 50	120.65
<b>Press Press Fit BP17-</b>				BP3-24-20	1 1/2 X 1 1/4	1 55	50.00
BP17-08	1/2	10 450	7.14	BP3-2-08-12	1/8 X 1/2 X 3/4	5 100	18.82
BP17-12	3/4	10 450	12.00	BP3-2-12-08	1/8 X 3/4 X 1/2	25 250	21.63
BP17-16	1	5 250	18.50	BP3-2-16-12	1/8 X 1 X 3/4	10 100	34.47
BP17-20	1 1/4	1 100	21.00	<b>Female Union</b>			
BP17-24	1 1/2	1 80	32.53	<b>Press x Female Thread (FPT) Press Fit BP33-3-</b>			
BP17-32	2	1 55	39.53	BP33-3-08	1/2	1 192	21.87
BP17-40	2 1/2	1 40	126.27	BP33-3-12	3/4	1 90	28.60
BP17-48	3	1 36	159.83	BP33-3-16	1	1 48	46.55
BP17-64	4	1 24	212.97	BP33-3-20	1 1/4	1 28	58.86
<b>Crossover Coupling</b>				BP33-3-24	1 1/2	1 24	92.53
<b>Press x Press Press Fit BP36-</b>				BP33-3-32	2	1 16	122.58
BP36-08	1/2	10 0	23.20	<b>Fitting Reducer</b>			
BP36-12	3/4	10 0	28.84	<b>Press x Fitting Press Fit BP02-</b>			
<b>Female Adapter</b>				BP02-12-08	3/4 X 1/2	10 400	3.72
<b>Press x Female Pipe Thread (FPT) Press Fit BP3-</b>				BP02-16-08	1 X 1/2	10 300	9.50
BP3-08	1/2	10 300	5.26	BP02-16-12	1 X 3/4	10 240	9.85
BP3-12	3/4	10 150	8.55	BP02-20-08	1 1/4 X 1/2	5 180	11.50
BP3-16	1	10 180	15.76	BP02-20-12	1 1/4 X 3/4	5 170	11.70
BP3-20	1 1/4	1 80	35.55	BP02-20-16	1 1/4 X 1	5 150	13.14
BP3-24	1 1/2	1 55	51.67	BP02-24-08	1 1/2 X 1/2	5 130	33.05
BP3-32	2	1 40	87.71	BP02-24-12	1 1/2 X 3/4	1 70	19.50
BP3-40	2 1/2	1 36	206.33	BP02-24-16	1 1/2 X 1	1 70	19.30
BP3-48	3	1 24	337.94	BP02-24-20	1 1/2 X 1 1/4	1 70	19.40
BP3-08-12	1/2 X 3/4	10 180	10.85	BP02-32-08	2 X 1/2	1 50	42.10
BP3-12-08	3/4 X 1/2	10 180	7.88	BP02-32-12	2 X 3/4	1 50	42.50
BP3-16-08	1 X 1/2	10 200	27.40	BP02-32-16	2 X 1	1 50	21.90
BP3-16-12	1 X 3/4	10 200	27.80	BP02-32-20	2 X 1 1/4	1 50	26.77
BP3-16-20	1 X 1 1/4	10 180	29.19	BP02-32-24	2 X 1 1/2	1 40	26.00
BP3-20-16	1 1/4 X 1	1 55	35.23	BP02-40-16	2 1/2 X 1	1 38	93.75
BP3-20-24	1 1/4 X 1 1/2	1 55	47.56	BP02-40-20	2 1/2 X 1 1/4	1 38	131.40
BP3-2-08	1/8 X 1/2	25 250	16.55	BP02-40-24	2 1/2 X 1 1/2	1 35	132.25
BP3-2-12	1/8 X 3/4	25 250	24.41	BP02-40-32	2 1/2 X 2	1 35	113.75
				BP02-48-20	3 X 1 1/4	1 25	152.25
				BP02-48-24	3 X 1 1/2	1 20	144.60
				BP02-48-32	3 X 2	1 20	140.50
				BP02-48-40	3 X 2 1/2	1 17	144.90



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>Fitting Reducer...Continued</b>				BP33-4-16	1	1 32	48.25
<b>Press x Fitting</b>		<b>Press Fit</b>	<b>BP02-</b>	BP33-4-20	1 1/4	1 28	71.21
BP02-64-32	4 X 2	1 10	162.00	BP33-4-24	1 1/2	1 24	99.34
BP02-64-40	4 X 2 1/2	1 10	176.95	BP33-4-32	2	1 16	129.89
BP02-64-48	4 X 3	1 10	187.00	<b>No Stop Coupling</b>			
<b>Male Adapter</b>				<b>Press x Press</b>		<b>Press Fit</b>	<b>BP0-NSTOP-</b>
<b>Press x Male Pipe Thread (MPT)</b>		<b>Press Fit</b>	<b>BP4-</b>	BP0-NSTOP-08	1/2	10 450	8.00
BP4-08	1/2	10 300	4.34	BP0-NSTOP-12	3/4	10 260	10.95
BP4-12	3/4	10 160	7.88	BP0-NSTOP-16	1	5 170	13.40
BP4-16	1	10 160	14.44	BP0-NSTOP-20	1 1/4	1 80	20.40
BP4-20	1 1/4	1 80	31.60	BP0-NSTOP-24	1 1/2	1 50	31.43
BP4-24	1 1/2	1 50	44.32	BP0-NSTOP-32	2	1 35	36.59
BP4-32	2	1 35	85.32	BP0-NSTOP-40	2 1/2	1 32	95.68
BP4-40	2 1/2	1 28	193.13	BP0-NSTOP-48	3	1 18	123.56
BP4-48	3	1 18	242.97	BP0-NSTOP-64	4	1 12	169.85
BP4-64	4	1 12	281.25	<b>Press x Press Union</b>			
BP4-08-12	1/2 X 3/4	10 180	8.55			<b>Press Fit</b>	<b>BP33-</b>
BP4-12-08	3/4 X 1/2	10 180	8.96	BP33-08	1/2	1 144	27.80
BP4-12-16	3/4 X 1	10 200	20.06	BP33-12	3/4	1 60	36.44
BP4-16-12	1 X 3/4	10 180	22.51	BP33-16	1	1 32	58.22
BP4-16-20	1 X 1 1/4	10 100	28.03	BP33-20	1 1/4	1 28	83.09
BP4-20-16	1 1/4 X 1	1 95	32.28	BP33-24	1 1/2	1 24	112.86
BP4-20-24	1 1/4 X 1 1/2	1 55	34.47	BP33-32	2	1 16	184.27
BP4-2-08	1/8 X 1/2	5 250	14.75	<b>Straight Coupling With Stop</b>			
BP4-2-12	1/8 X 3/4	5 160	24.75	<b>Press x Press</b>		<b>Press Fit</b>	<b>BP0-</b>
BP4-2-16	1/8 X 1	5 200	36.44	BP0-08	1/2	10 450	3.35
BP4-2-20	1/8 X 1 1/4	5 80	48.35	BP0-12	3/4	10 260	5.06
BP4-2-24	1/8 X 1 1/2	5 75	72.09	BP0-16	1	5 170	10.21
BP4-2-32	1/8 X 2	5 25	106.14	BP0-20	1 1/4	1 80	12.66
BP4-24-20	1 1/2 X 1 1/4	1 55	43.32	BP0-24	1 1/2	1 50	23.59
BP4-24-32	1 1/2 X 2	1 40	94.83	BP0-32	2	1 30	30.08
BP4-32-24	2 X 1 1/2	1 40	78.64	BP0-40	2 1/2	1 32	96.20
BP4-2-08-12	1/8 X 1/2 X 3/4	5 20	23.50	BP0-48	3	1 18	122.51
BP4-2-12-08	1/8 X 3/4 X 1/2	5 180	23.95	BP0-64	4	1 12	170.09
BP4-2-16-12	1/8 X 1 X 3/4	5 200	36.65	BP0-12-08	3/4 X 1/2	10 300	15.13
<b>Male Union</b>				BP0-16-08	1 X 1/2	10 200	26.50
<b>Press x Male Thread (MPT)</b>		<b>Press Fit</b>	<b>BP33-4-</b>	BP0-16-12	1 X 3/4	10 200	17.35
BP33-4-08	1/2	1 144	24.27	BP0-20-08	1 1/4 X 1/2	1 80	61.45
BP33-4-12	3/4	1 60	33.59				



<b>Straight Coupling With Stop...Continued</b>				
<b>Press x Press</b>		<b>Press Fit</b>		<b>BP0-</b>
BP0-20-12	1 1/4 X 3/4	1	80	39.05
BP0-20-16	1 1/4 X 1	1	80	25.20
BP0-24-08	1 1/2 X 1/2	1	65	81.95
BP0-24-12	1 1/2 X 3/4	1	65	46.70
BP0-24-16	1 1/2 X 1	1	70	41.85
BP0-24-20	1 1/2 X 1 1/4	1	60	37.06
BP0-32-08	2 X 1/2	1	45	109.30
BP0-32-12	2 X 3/4	1	45	43.60
BP0-32-16	2 X 1	1	45	63.50
BP0-32-20	2 X 1 1/4	1	40	52.80
BP0-32-24	2 X 1 1/2	1	40	41.70
BP0-40-16	2 1/2 X 1	1	0	180.25
BP0-40-20	2 1/2 X 1 1/4	1	0	187.25
BP0-40-24	2 1/2 X 1 1/2	1	0	190.00
BP0-40-32	2 1/2 X 2	1	30	190.00
BP0-48-24	3 X 1 1/2	1	24	209.50
BP0-48-32	3 X 2	1	24	209.85
BP0-48-40	3 X 2 1/2	1	24	246.03
BP0-64-32	4 X 2	1	10	261.00
BP0-64-40	4 X 2 1/2	1	10	289.00
BP0-64-48	4 X 3	1	10	318.00
<b>Tee with Female Thread Branch (FPT)</b>				
<b>Press x Press x Female Thread (FPT)</b>		<b>Press Fit</b>		<b>BP12-</b>
BP12-08	1/2	5	0	18.70
BP12-12	3/4	5	80	31.75
BP12-12-12-08	3/4 X 3/4 X 1/2	5	100	25.35
BP12-16-16-08	1 X 1 X 1/2	5	70	32.50
BP12-16-16-12	1 X 1 X 3/4	5	60	37.65
BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1	0	46.50
BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1	0	48.15
BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1	32	55.50
BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1	0	80.00
BP12-32-32-08	2 X 2 X 1/2	1	0	67.00
BP12-32-32-12	2 X 2 X 3/4	1	0	66.00
<b>Tees</b>				
<b>Press x Press x Press</b>		<b>Press Fit</b>		<b>BPT-</b>
BPT-08	1/2	10	200	5.65
BPT-12	3/4	10	120	9.97

BPT-16	1	5	70	17.94
BPT-20	1 1/4	1	45	30.33
BPT-24	1 1/2	1	25	58.89
BPT-32	2	1	15	72.76
BPT-40	2 1/2	1	10	238.60
BPT-48	3	1	7	298.23
BPT-64	4	1	4	418.46
BPT-08-08-12	1/2 X 1/2 X 3/4	10	140	18.95
BPT-08-08-16	1/2 X 1/2 X 1	5	140	26.80
BPT-12-08-08	3/4 X 1/2 X 1/2	10	150	15.36
BPT-12-08-12	3/4 X 1/2 X 3/4	5	120	15.97
BPT-12-12-08	3/4 X 3/4 X 1/2	10	140	8.38
BPT-12-12-16	3/4 X 3/4 X 1	5	80	30.10
BPT-16-08-12	1 X 1/2 X 3/4	5	80	45.80
BPT-16-08-16	1 X 1/2 X 1	5	80	28.90
BPT-16-12-08	1 X 3/4 X 1/2	5	100	30.45
BPT-16-12-12	1 X 3/4 X 3/4	5	100	27.26
BPT-16-12-16	1 X 3/4 X 1	5	70	30.81
BPT-16-16-08	1 X 1 X 1/2	5	100	20.52
BPT-16-16-12	1 X 1 X 3/4	5	80	20.40
BPT-16-16-20	1 X 1 X 1 1/4	1	70	52.35
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1	40	59.77
BPT-20-12-08	1 1/4 X 3/4 X 1/2	1	50	46.63
BPT-20-12-12	1 1/4 X 3/4 X 3/4	1	50	52.16
BPT-20-12-16	1 1/4 X 3/4 X 1	1	45	54.24
BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	1	40	47.99
BPT-20-16-08	1 1/4 X 1 X 1/2	1	45	37.25
BPT-20-16-12	1 1/4 X 1 X 3/4	1	45	30.35
BPT-20-16-16	1 1/4 X 1 X 1	1	50	32.65
BPT-20-16-20	1 1/4 X 1 X 1 1/4	5	25	84.22
BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	1	60	25.40
BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	1	55	27.75
BPT-20-20-16	1 1/4 X 1 1/4 X 1	1	50	28.84
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	1	30	74.80
BPT-24-16-12	1 1/2 X 1 X 3/4	1	30	74.80
BPT-24-16-16	1 1/2 X 1 X 1	1	30	83.35
BPT-24-16-24	1 1/2 X 1 X 1 1/2	1	25	91.40
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1	25	64.04
BPT-24-20-16	1 1/2 X 1 1/4 X 1	1	25	74.24
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	1	25	54.85
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	1	40	62.69
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	1	35	52.29
BPT-24-24-16	1 1/2 X 1 1/2 X 1	1	35	53.25
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	1	30	55.12
BPT-32-08-32	2 X 1/2 X 2	1	10	118.15
BPT-32-16-16	2 X 1 X 1	1	0	84.74
BPT-32-16-32	2 X 1 X 2	1	0	120.84



**CELLO PRODUCTS INC**

Tees... Continued				
Press x Press x Press	Press Fit	BPT-		
BPT-32-16-16	2 X 1 X 1	1	0	84.74
BPT-32-16-32	2 X 1 X 2	1	0	120.84
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1	20	122.06
BPT-32-24-12	2 X 1 1/2 X 3/4	1	20	104.65
BPT-32-24-16	2 X 1 1/2 X 1	1	20	103.31
BPT-32-24-20	2 X 1 1/2 X 1 1/4	1	16	106.72
BPT-32-24-24	2 X 1 1/2 X 1 1/2	1	16	108.20
BPT-32-24-32	2 X 1 1/2 X 2	1	16	100.72
BPT-32-32-08	2 X 2 X 1/2	1	25	100.72
BPT-32-32-12	2 X 2 X 3/4	1	25	85.15
BPT-32-32-16	2 X 2 X 1	1	23	87.99
BPT-32-32-20	2 X 2 X 1 1/4	1	20	87.99
BPT-32-32-24	2 X 2 X 1 1/2	1	16	66.14
BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1	0	353.72
BPT-40-16-40	2 1/2 X 1 X 2 1/2	1	0	365.25
BPT-40-24-40	2 1/2 X 1 1/2 X 2 1/2	1	0	323.50
BPT-40-32-12	2 1/2 X 2 X 3/4	1	0	340.00
BPT-40-32-16	2 1/2 X 2 X 1	1	0	320.00
BPT-40-32-24	2 1/2 X 2 X 1 1/2	1	0	300.50
BPT-40-32-32	2 1/2 X 2 X 2	1	10	301.75
BPT-40-32-40	2 1/2 X 2 X 2 1/2	1	0	340.05
BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1	18	332.75
BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1	18	332.75
BPT-40-40-16	2 1/2 X 2 1/2 X 1	1	16	332.75
BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1	15	332.75
BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1	12	317.97
BPT-40-40-32	2 1/2 X 2 1/2 X 2	1	10	280.29
BPT-48-12-48	3 X 3/4 X 3	1	0	356.61
BPT-48-16-48	3 X 1 X 3	1	0	377.75
BPT-48-32-32	3 X 2 X 2	1	9	377.45
BPT-48-32-48	3 X 2 X 3	1	0	397.55
BPT-48-40-32	3 X 2 1/2 X 2	1	0	371.80
BPT-48-40-40	3 X 2 1/2 X 2 1/2	1	0	410.60
BPT-48-48-08	3 X 3 X 1/2	1	0	362.44
BPT-48-48-12	3 X 3 X 3/4	1	12	350.67
BPT-48-48-16	3 X 3 X 1	1	12	350.67
BPT-48-48-20	3 X 3 X 1 1/4	1	10	350.67
BPT-48-48-24	3 X 3 X 1 1/2	1	10	350.67
BPT-48-48-32	3 X 3 X 2	1	10	343.12
BPT-48-48-40	3 X 3 X 2 1/2	1	7	357.88
BPT-64-48-48	4 X 3 X 3	1	0	570.03
BPT-64-64-08	4 X 4 X 1/2	1	0	561.77
BPT-64-64-12	4 X 4 X 3/4	1	0	554.28

BPT-64-64-16	4 X 4 X 1	1	8	411.82
BPT-64-64-20	4 X 4 X 1 1/4	1	5	500.13
BPT-64-64-24	4 X 4 X 1 1/2	1	6	475.38
BPT-64-64-32	4 X 4 X 2	1	6	378.78
BPT-64-64-40	4 X 4 X 2 1/2	1	4	390.37
BPT-64-64-48	4 X 4 X 3	1	4	427.92
BPT-64-64-48	4 X 4 X 3	1	4	427.92



# CELLO PRODUCTS INC.

## NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

## Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

## *Available from CELLO PRODUCTS*

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrought*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call  
1-800-265-7882 for Customer Services.*



## CELLO PRODUCTS INC.

### SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

### BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

### WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.