

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61*

* wrought copper products

Clean & Bag Copper
Solder-Joint Fittings

USA

Price List #14

Effective October 20, 2016

PRICE LIST

All Fittings are Individually Bagged

CANADA

210 Avenue Road
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail:
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:
flongenecker@celloproducts.com



CELLO PRODUCTS INC

ALL SIZES SHOWN ARE NOMINAL

CELLO #	SIZE	LIST	CELLO #	SIZE	LIST
ADAPTER - FEMALE			WP4-32	2	55.11
c x female	Wrot	WP3-	WP4-40	2 1/2	192.42
All sizes show are nominal			WP4-48	3	239.29
WP3-04	1/4	13.48	WP4-64	4	313.79
WP3-06	3/8	14.09	WP4-08-04	1/2 X 1/4	13.71
WP3-08	1/2	7.15	WP4-08-06	1/2 X 3/8	11.38
WP3-12	3/4	9.81	WP4-08-12	1/2 X 3/4	13.03
WP3-16	1	22.48	WP4-12-08	3/4 X 1/2	13.03
WP3-20	1 1/4	32.55	WP4-12-16	3/4 X 1	28.63
WP3-24	1 1/2	50.90	WP4-16-08	1 X 1/2	35.72
WP3-32	2	69.14	WP4-16-12	1 X 3/4	28.63
WP3-08-04	1/2 X 1/4	11.03	BUSHING - FITTING REDUCERS		
WP3-08-06	1/2 X 3/8	11.03	ftg x c	Wrot	WP02-
WP3-08-12	1/2 X 3/4	15.34	WP02-04-02	1/4 X 1/8	4.25
WP3-12-08	3/4 X 1/2	15.34	WP02-06-04	3/8 X 1/4	4.39
WP3-12-16	3/4 X 1	32.88	WP02-08-04	1/2 X 1/4	4.14
WP3-16-08	1 X 1/2	41.11	WP02-08-06	1/2 X 3/8	3.74
ADAPTER - FTG FEMALE			WP02-10-08	5/8 X 1/2	8.98
ftg x female	Wrot	WP3-2-	WP02-12-04	3/4 X 1/4	7.96
WP3-2-04	1/4	16.61	WP02-12-06	3/4 X 3/8	7.40
WP3-2-06	3/8	18.09	WP02-12-08	3/4 X 1/2	5.65
WP3-2-08	1/2	14.11	WP02-16-06	1 X 3/8	10.70
WP3-2-12	3/4	18.23	WP02-16-08	1 X 1/2	11.33
WP3-2-16	1	32.56	WP02-16-12	1 X 3/4	8.86
ADAPTER - FTG MALE			WP02-20-08	1 1/4 X 1/2	15.85
ftg x male	Wrot	WP4-2-	WP02-20-12	1 1/4 X 3/4	15.85
WP4-2-08	1/2	19.70	WP02-20-16	1 1/4 X 1	16.16
WP4-2-12	3/4	25.36	WP02-24-08	1 1/2 X 1/2	21.05
WP4-2-16	1	32.24	WP02-24-12	1 1/2 X 3/4	21.05
ADAPTER - MALE			WP02-24-16	1 1/2 X 1	20.65
c x male	Wrot	WP4-	WP02-24-20	1 1/2 X 1 1/4	20.65
WP4-04	1/4	21.08	WP02-32-08	2 X 1/2	44.35
WP4-06	3/8	10.49	WP02-32-12	2 X 3/4	41.78
WP4-08	1/2	4.50	WP02-32-16	2 X 1	41.78
WP4-12	3/4	7.56	WP02-32-20	2 X 1 1/4	38.88
WP4-16	1	19.34	WP02-32-24	2 X 1 1/2	38.88
WP4-20	1 1/4	27.79	WP02-40-16	2 1/2 X 1	83.71
WP4-24	1 1/2	32.55	WP02-40-20	2 1/2 X 1 1/4	74.81
			WP02-40-24	2 1/2 X 1 1/2	73.48
			WP02-40-32	2 1/2 X 2	71.95
			WP02-48-20	3 X 1 1/4	92.79
			WP02-48-24	3 X 1 1/2	94.90
			WP02-48-32	3 X 2	84.94



CELLO #	SIZE	LIST	CELLO #	SIZE	LIST
BUSHING - FITTING REDUCERS...Continued					
ftg x c		Wrot	WP02-		
WP02-48-40	3 X 2 1/2				86.85
WP02-64-32	4 X 2				193.51
WP02-64-40	4 X 2 1/2				183.80
WP02-64-48	4 X 3				176.76
CAP					
Tube End Caps		Wrot	WP17-		
WP17-04	1/4				1.83
WP17-06	3/8				2.90
WP17-08	1/2				1.58
WP17-12	3/4				2.91
WP17-16	1				6.85
WP17-20	1 1/4				9.08
WP17-24	1 1/2				13.28
WP17-32	2				24.48
WP17-40	2 1/2				71.29
WP17-48	3				91.83
WP17-64	4				167.63
COUPLING					
without Stop	c x c	Wrot	WP0-NSTOP-		
WP0-NSTOP-04	1/4				1.20
WP0-NSTOP-06	3/8				4.14
WP0-NSTOP-08	1/2				2.14
WP0-NSTOP-12	3/4				4.44
WP0-NSTOP-16	1				9.36
WP0-NSTOP-20	1 1/4				13.70
WP0-NSTOP-24	1 1/2				18.50
WP0-NSTOP-32	2				31.91
WP0-NSTOP-40	2 1/2				38.06
WP0-NSTOP-48	3				69.96
WP0-NSTOP-64	4				129.75
COUPLINGS					
c x c		Wrot	WP0-		
WP0-02	1/8				1.66
WP0-04	1/4				1.48
WP0-06	3/8				1.93
WP0-08	1/2				1.63
WP0-10	5/8				4.78
WP0-12	3/4				3.28
WP0-16	1				6.48
WP0-20	1 1/4				11.15
WP0-24	1 1/2				15.04
WP0-32	2				25.10
WP0-96	6				532.13
WP0-04-02	1/4 X 1/8				9.62
WP0-06-04	3/8 X 1/4				3.23
WP0-08-02	1/2 X 1/8				4.45
WP0-08-04	1/2 X 1/4				4.01
WP0-08-06	1/2 X 3/8				3.31
WP0-10-04	5/8 X 1/4				8.84
WP0-10-06	5/8 X 3/8				9.99
WP0-10-08	5/8 X 1/2				8.08
WP0-12-04	3/4 X 1/4				7.00
WP0-12-06	3/4 X 3/8				7.13
WP0-12-08	3/4 X 1/2				5.75
WP0-12-10	3/4 X 5/8				5.71
WP0-16-06	1 X 3/8				12.76
WP0-16-08	1 X 1/2				12.59
WP0-16-10	1 X 5/8				11.16
WP0-16-12	1 X 3/4				10.45
WP0-20-08	1 1/4 X 1/2				15.39
WP0-20-12	1 1/4 X 3/4				14.51
WP0-20-16	1 1/4 X 1				14.51
WP0-24-08	1 1/2 X 1/2				26.04
WP0-24-12	1 1/2 X 3/4				24.51
WP0-24-16	1 1/2 X 1				24.51
WP0-24-20	1 1/2 X 1 1/4				24.04
WP0-32-08	2 X 1/2				42.40
WP0-32-12	2 X 3/4				40.74
WP0-32-16	2 X 1				39.98
WP0-32-20	2 X 1 1/4				37.16
WP0-32-24	2 X 1 1/2				37.16
WP0-40-16	2 1/2 X 1				88.76
WP0-40-20	2 1/2 X 1 1/4				88.19
WP0-40-24	2 1/2 X 1 1/2				78.05
WP0-40-32	2 1/2 X 2				76.44
WP0-48-24	3 X 1 1/2				103.40
WP0-48-32	3 X 2				92.55
WP0-48-40	3 X 2 1/2				94.49
WP0-64-32	4 X 2				205.18
WP0-64-40	4 X 2 1/2				213.40



CELLO #	SIZE	LIST
COUPLINGS...Continued		
c x c	Wrot	WP0-
WP0-64-48	4 X 3	187.63
COUPLINGS		
c x c	Wrot	WP0-RING-
WP0-RING-40	2 1/2	52.02
WP0-RING-48	3	75.33
WP0-RING-64	4	171.40
ELBOW 45		
c x c	Wrot	WP6-
WP6-02	1/8	14.95
WP6-04	1/4	11.16
WP6-06	3/8	9.55
WP6-08	1/2	3.94
WP6-10	5/8	16.74
WP6-12	3/4	6.71
WP6-16	1	16.85
WP6-20	1 1/4	22.58
WP6-24	1 1/2	27.74
WP6-32	2	46.31
WP6-40	2 1/2	89.96
WP6-48	3	125.50
WP6-64	4	258.88
ELBOW 45 - STREET		
ftg x c	Wrot	WP6-2-
WP6-2-04	1/4	16.63
WP6-2-06	3/8	13.04
WP6-2-08	1/2	4.68
WP6-2-12	3/4	6.78
WP6-2-16	1	22.70
WP6-2-20	1 1/4	27.79
WP6-2-24	1 1/2	34.66
WP6-2-32	2	55.11
WP6-2-40	2 1/2	119.43
WP6-2-48	3	152.13

CELLO #	SIZE	LIST
ELBOW 90 - STREET		
ftg x c	Wrot	WP7-2-
WP7-2-04	1/4	10.98
WP7-2-06	3/8	7.58
WP7-2-08	1/2	3.30
WP7-2-10	5/8	13.11
WP7-2-12	3/4	6.98
WP7-2-16	1	17.86
WP7-2-20	1 1/4	26.26
WP7-2-24	1 1/2	35.09
WP7-2-32	2	76.40
ELBOW 90 (short radius)		
c x c	Wrot	WP7-
WP7-02	1/8	5.95
WP7-04	1/4	10.30
WP7-06	3/8	6.06
WP7-08	1/2	2.16
WP7-10	5/8	12.69
WP7-12	3/4	4.83
WP7-16	1	11.85
WP7-20	1 1/4	17.55
WP7-24	1 1/2	27.39
WP7-32	2	49.90
WP7-40	2 1/2	91.06
WP7-48	3	129.25
WP7-64	4	283.38
WP7-12-08	3/4 X 1/2	12.39
ELBOW 90 LT - STREET		
ftg x c	Wrot	WP7LT-2-
WP7LT-2-06	3/8	19.84
WP7LT-2-08	1/2	13.55
WP7LT-2-10	5/8	16.03
WP7LT-2-12	3/4	17.43
WP7LT-2-16	1	29.68
WP7LT-2-20	1 1/4	42.53
WP7LT-2-24	1 1/2	60.66
WP7LT-2-32	2	98.89

ELBOW 90 LT (Long radius)

c x c	Wrot	WP7LT-
WP7LT-02	1/8	11.16
WP7LT-04	1/4	8.56
WP7LT-06	3/8	10.81
WP7LT-08	1/2	9.71
WP7LT-10	5/8	9.81
WP7LT-12	3/4	12.55
WP7LT-16	1	20.19
WP7LT-20	1 1/4	79.26
WP7LT-24	1 1/2	32.74
WP7LT-32	2	113.36
WP7LT-40	2 1/2	167.00

TEE

c x c x c	Wrot	WPT-
WPT-04	1/4	12.51
WPT-06	3/8	10.04
WPT-08	1/2	3.68
WPT-10	5/8	22.96
WPT-12	3/4	8.86
WPT-16	1	26.60
WPT-20	1 1/4	36.70
WPT-24	1 1/2	55.46
WPT-32	2	88.21
WPT-40	2 1/2	162.29
WPT-48	3	232.83
WPT-64	4	545.31
WPT-08-08-04	1/2 X 1/2 X 1/4	18.38
WPT-08-08-06	1/2 X 1/2 X 3/8	18.38
WPT-08-08-12	1/2 X 1/2 X 3/4	16.85
WPT-12-08-08	3/4 X 1/2 X 1/2	10.36
WPT-12-08-12	3/4 X 1/2 X 3/4	10.36
WPT-12-12-06	3/4 X 3/4 X 3/8	11.54
WPT-12-12-08	3/4 X 3/4 X 1/2	8.45
WPT-12-12-16	3/4 X 3/4 X 1	29.50
WPT-16-08-08	1 X 1/2 X 1/2	32.38
WPT-16-08-12	1 X 1/2 X 3/4	34.09
WPT-16-08-16	1 X 1/2 X 1	32.38
WPT-16-12-08	1 X 3/4 X 1/2	32.38
WPT-16-12-12	1 X 3/4 X 3/4	32.38
WPT-16-12-16	1 X 3/4 X 1	32.38
WPT-16-16-06	1 X 1 X 3/8	32.69
WPT-16-16-08	1 X 1 X 1/2	27.23
WPT-16-16-12	1 X 1 X 3/4	27.23
WPT-16-16-20	1 X 1 X 1 1/4	60.53
WPT-20-08-20	1 1/4 X 1/2 X 1 1/4	52.10
WPT-20-12-08	1 1/4 X 3/4 X 1/2	56.91

WPT-20-12-12	1 1/4 X 3/4 X 3/4	50.90
WPT-20-12-16	1 1/4 X 3/4 X 1	54.81
WPT-20-12-20	1 1/4 X 3/4 X 1 1/4	50.90
WPT-20-16-08	1 1/4 X 1 X 1/2	52.10
WPT-20-16-12	1 1/4 X 1 X 3/4	49.91
WPT-20-16-16	1 1/4 X 1 X 1	50.90
WPT-20-16-20	1 1/4 X 1 X 1 1/4	52.10
WPT-20-20-08	1 1/4 X 1 1/4 X 1/2	39.65
WPT-20-20-12	1 1/4 X 1 1/4 X 3/4	39.65
WPT-20-20-16	1 1/4 X 1 1/4 X 1	39.65
WPT-20-20-24	1 1/4 X 1 1/4 X 1 1/2	85.91
WPT-20-20-32	1 1/4 X 1 1/4 X 2	176.63
WPT-24-08-24	1 1/2 X 1/2 X 1 1/2	86.36
WPT-24-12-08	1 1/2 X 3/4 X 1/2	94.45
WPT-24-12-12	1 1/2 X 3/4 X 3/4	89.68
WPT-24-12-16	1 1/2 X 3/4 X 1	89.68
WPT-24-12-20	1 1/2 X 3/4 X 1 1/4	92.65
WPT-24-12-24	1 1/2 X 3/4 X 1 1/2	84.46
WPT-24-16-08	1 1/2 X 1 X 1/2	89.68
WPT-24-16-12	1 1/2 X 1 X 3/4	86.18
WPT-24-16-16	1 1/2 X 1 X 1	84.46
WPT-24-16-20	1 1/2 X 1 X 1 1/4	89.68
WPT-24-16-24	1 1/2 X 1 X 1 1/2	86.18
WPT-24-20-08	1 1/2 X 1 1/4 X 1/2	89.68
WPT-24-20-12	1 1/2 X 1 1/4 X 3/4	86.18
WPT-24-20-16	1 1/2 X 1 1/4 X 1	84.46
WPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	86.18
WPT-24-20-24	1 1/2 X 1 1/4 X 1 1/2	89.68
WPT-24-24-08	1 1/2 X 1 1/2 X 1/2	42.11
WPT-24-24-12	1 1/2 X 1 1/2 X 3/4	42.11
WPT-24-24-16	1 1/2 X 1 1/2 X 1	42.11
WPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	42.11
WPT-24-24-32	1 1/2 X 1 1/2 X 2	164.50
WPT-32-08-32	2 X 1/2 X 2	114.71
WPT-32-12-32	2 X 3/4 X 2	114.71
WPT-32-16-16	2 X 1 X 1	114.71
WPT-32-16-32	2 X 1 X 2	114.71
WPT-32-20-12	2 X 1 1/4 X 3/4	123.26
WPT-32-20-16	2 X 1 1/4 X 1	123.26
WPT-32-20-20	2 X 1 1/4 X 1 1/4	124.41
WPT-32-20-24	2 X 1 1/4 X 1 1/2	120.85
WPT-32-20-32	2 X 1 1/4 X 2	119.28
WPT-32-24-08	2 X 1 1/2 X 1/2	118.49
WPT-32-24-12	2 X 1 1/2 X 3/4	114.71
WPT-32-24-16	2 X 1 1/2 X 1	114.71
WPT-32-24-20	2 X 1 1/2 X 1 1/4	124.41
WPT-32-24-24	2 X 1 1/2 X 1 1/2	112.29
WPT-32-24-32	2 X 1 1/2 X 2	114.71
WPT-32-32-08	2 X 2 X 1/2	66.64
WPT-32-32-12	2 X 2 X 3/4	66.64
WPT-32-32-16	2 X 2 X 1	68.69

TEE...Continued

c x c x c	Wrot	WPT-	
WPT-32-20-32	2 X 1 1/4 X 2	119.28	
WPT-32-24-08	2 X 1 1/2 X 1/2	118.49	
WPT-32-24-12	2 X 1 1/2 X 3/4	114.71	
WPT-32-24-16	2 X 1 1/2 X 1	114.71	
WPT-32-24-20	2 X 1 1/2 X 1 1/4	124.41	
WPT-32-24-24	2 X 1 1/2 X 1 1/2	112.29	
WPT-32-24-32	2 X 1 1/2 X 2	114.71	
WPT-32-32-08	2 X 2 X 1/2	66.64	
WPT-32-32-12	2 X 2 X 3/4	66.64	
WPT-32-32-16	2 X 2 X 1	68.69	
WPT-32-32-20	2 X 2 X 1 1/4	76.26	
WPT-32-32-24	2 X 2 X 1 1/2	68.69	
WPT-40-40-08	2 1/2 X 2 1/2 X 1/2	189.18	
WPT-40-40-12	2 1/2 X 2 1/2 X 3/4	185.15	
WPT-40-40-16	2 1/2 X 2 1/2 X 1	189.18	
WPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	189.18	
WPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	189.18	
WPT-40-40-32	2 1/2 X 2 1/2 X 2	189.19	
WPT-40-40-48	2 1/2 X 2 1/2 X 3	1,251.65	
WPT-48-48-08	3 X 3 X 1/2	195.88	
WPT-48-48-12	3 X 3 X 3/4	195.88	
WPT-48-48-16	3 X 3 X 1	195.88	
WPT-48-48-20	3 X 3 X 1 1/4	195.88	
WPT-48-48-24	3 X 3 X 1 1/2	195.88	
WPT-48-48-32	3 X 3 X 2	195.88	
WPT-48-48-40	3 X 3 X 2 1/2	214.25	
WPT-64-64-08	4 X 4 X 1/2	384.65	
WPT-64-64-12	4 X 4 X 3/4	394.47	
WPT-64-64-16	4 X 4 X 1	348.00	
WPT-64-64-20	4 X 4 X 1 1/4	364.42	
WPT-64-64-24	4 X 4 X 1 1/2	348.00	
WPT-64-64-32	4 X 4 X 2	368.07	
WPT-64-64-40	4 X 4 X 2 1/2	419.43	
WPT-64-64-48	4 X 4 X 3	387.40	

Cello copper and threaded brass fittings not listed on this prices sheet are available in Cleaned and Bagged on a special order basis. Please contact customer service for price and availability.

Special order fittings are not returnable.

Minimum Order for C&B Fittings is \$25.00 net

UNION

c x c	Wrot	WP33-	
WP33-08	1/2	250	23.24
WP33-12	3/4	100	28.64
WP33-16	1	90	49.14
WP33-32	2	33	186.67



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrought*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*

Also now available:

- **Press Fittings + Ballvalves**
- **IPS + CXC Ballvalves**



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.