

# CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61\*

\* wrought copper products

Clean & Bag Copper  
Solder-Joint Fittings

USA

Price List #14

Effective October 20, 2016

## PRICE LIST

All Fittings are Individually Bagged

CANADA

210 Avenue Road  
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150  
Fax: (519) 621-4108  
Customer Service: 1-800-265-7882  
e-mail:  
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:  
flongenecker@celloproducts.com



**ALL SIZES SHOWN ARE NOMINAL**

CELLO #	SIZE	LIST	CELLO #	SIZE	LIST
<b>ADAPTER - FEMALE</b>			WP4-32	2	55.11
<b>c x female</b>	<b>Wrot</b>	<b>WP3-</b>	WP4-40	2 1/2	192.42
<b>All sizes show are nominal</b>			WP4-48	3	239.29
WP3-04	1/4	13.48	WP4-64	4	313.79
WP3-06	3/8	14.09	WP4-08-04	1/2 X 1/4	13.71
WP3-08	1/2	7.15	WP4-08-06	1/2 X 3/8	11.38
WP3-12	3/4	9.81	WP4-08-12	1/2 X 3/4	13.03
WP3-16	1	22.48	WP4-12-08	3/4 X 1/2	13.03
WP3-20	1 1/4	32.55	WP4-12-16	3/4 X 1	28.63
WP3-24	1 1/2	50.90	WP4-16-08	1 X 1/2	35.72
WP3-32	2	69.14	WP4-16-12	1 X 3/4	28.63
WP3-08-04	1/2 X 1/4	11.03	<b>BUSHING - FITTING REDUCERS</b>		
WP3-08-06	1/2 X 3/8	11.03	<b>ftg x c</b>	<b>Wrot</b>	<b>WP02-</b>
WP3-08-12	1/2 X 3/4	15.34	WP02-04-02	1/4 X 1/8	4.25
WP3-12-08	3/4 X 1/2	15.34	WP02-06-04	3/8 X 1/4	4.39
WP3-12-16	3/4 X 1	32.88	WP02-08-04	1/2 X 1/4	4.14
WP3-16-08	1 X 1/2	41.11	WP02-08-06	1/2 X 3/8	3.74
<b>ADAPTER - FTG FEMALE</b>			WP02-10-08	5/8 X 1/2	8.98
<b>ftg x female</b>	<b>Wrot</b>	<b>WP3-2-</b>	WP02-12-04	3/4 X 1/4	7.96
WP3-2-04	1/4	16.61	WP02-12-06	3/4 X 3/8	7.40
WP3-2-06	3/8	18.09	WP02-12-08	3/4 X 1/2	5.65
WP3-2-08	1/2	14.11	WP02-16-06	1 X 3/8	10.70
WP3-2-12	3/4	18.23	WP02-16-08	1 X 1/2	11.33
WP3-2-16	1	32.56	WP02-16-12	1 X 3/4	8.86
<b>ADAPTER - FTG MALE</b>			WP02-20-08	1 1/4 X 1/2	15.85
<b>ftg x male</b>	<b>Wrot</b>	<b>WP4-2-</b>	WP02-20-12	1 1/4 X 3/4	15.85
WP4-2-08	1/2	19.70	WP02-20-16	1 1/4 X 1	16.16
WP4-2-12	3/4	25.36	WP02-24-08	1 1/2 X 1/2	21.05
WP4-2-16	1	32.24	WP02-24-12	1 1/2 X 3/4	21.05
<b>ADAPTER - MALE</b>			WP02-24-16	1 1/2 X 1	20.65
<b>c x male</b>	<b>Wrot</b>	<b>WP4-</b>	WP02-24-20	1 1/2 X 1 1/4	20.65
WP4-04	1/4	21.08	WP02-32-08	2 X 1/2	44.35
WP4-06	3/8	10.49	WP02-32-12	2 X 3/4	41.78
WP4-08	1/2	4.50	WP02-32-16	2 X 1	41.78
WP4-12	3/4	7.56	WP02-32-20	2 X 1 1/4	38.88
WP4-16	1	19.34	WP02-32-24	2 X 1 1/2	38.88
WP4-20	1 1/4	27.79	WP02-40-16	2 1/2 X 1	83.71
WP4-24	1 1/2	32.55	WP02-40-20	2 1/2 X 1 1/4	74.81
			WP02-40-24	2 1/2 X 1 1/2	73.48
			WP02-40-32	2 1/2 X 2	71.95
			WP02-48-20	3 X 1 1/4	92.79
			WP02-48-24	3 X 1 1/2	94.90
			WP02-48-32	3 X 2	84.94



CELLO #	SIZE	LIST	CELLO #	SIZE	LIST
<b>BUSHING - FITTING REDUCERS...Continued</b>					
<b>ftg x c</b>		<b>Wrot</b>	<b>WP02-</b>		
WP02-48-40	3 X 2 1/2				86.85
WP02-64-32	4 X 2				193.51
WP02-64-40	4 X 2 1/2				183.80
WP02-64-48	4 X 3				176.76
<b>CAP</b>					
<b>Tube End Caps</b>		<b>Wrot</b>	<b>WP17-</b>		
WP17-04	1/4				1.83
WP17-06	3/8				2.90
WP17-08	1/2				1.58
WP17-12	3/4				2.91
WP17-16	1				6.85
WP17-20	1 1/4				9.08
WP17-24	1 1/2				13.28
WP17-32	2				24.48
WP17-40	2 1/2				71.29
WP17-48	3				91.83
WP17-64	4				167.63
<b>COUPLING</b>					
<b>without Stop</b>	<b>c x c</b>		<b>Wrot</b>	<b>WP0-NSTOP-</b>	
WP0-NSTOP-04	1/4				1.20
WP0-NSTOP-06	3/8				4.14
WP0-NSTOP-08	1/2				2.14
WP0-NSTOP-12	3/4				4.44
WP0-NSTOP-16	1				9.36
WP0-NSTOP-20	1 1/4				13.70
WP0-NSTOP-24	1 1/2				18.50
WP0-NSTOP-32	2				31.91
WP0-NSTOP-40	2 1/2				38.06
WP0-NSTOP-48	3				69.96
WP0-NSTOP-64	4				129.75
<b>COUPLINGS</b>					
<b>c x c</b>		<b>Wrot</b>	<b>WP0-</b>		
WP0-02	1/8				1.66
WP0-04	1/4				1.48
WP0-06	3/8				1.93
WP0-08	1/2				1.63
WP0-10	5/8				4.78
WP0-12	3/4				3.28
WP0-16	1				6.48
WP0-20	1 1/4				11.15
WP0-24	1 1/2				15.04
WP0-32	2				25.10
WP0-96	6				532.13
WP0-04-02	1/4 X 1/8				9.62
WP0-06-04	3/8 X 1/4				3.23
WP0-08-02	1/2 X 1/8				4.45
WP0-08-04	1/2 X 1/4				4.01
WP0-08-06	1/2 X 3/8				3.31
WP0-10-04	5/8 X 1/4				8.84
WP0-10-06	5/8 X 3/8				9.99
WP0-10-08	5/8 X 1/2				8.08
WP0-12-04	3/4 X 1/4				7.00
WP0-12-06	3/4 X 3/8				7.13
WP0-12-08	3/4 X 1/2				5.75
WP0-12-10	3/4 X 5/8				5.71
WP0-16-06	1 X 3/8				12.76
WP0-16-08	1 X 1/2				12.59
WP0-16-10	1 X 5/8				11.16
WP0-16-12	1 X 3/4				10.45
WP0-20-08	1 1/4 X 1/2				15.39
WP0-20-12	1 1/4 X 3/4				14.51
WP0-20-16	1 1/4 X 1				14.51
WP0-24-08	1 1/2 X 1/2				26.04
WP0-24-12	1 1/2 X 3/4				24.51
WP0-24-16	1 1/2 X 1				24.51
WP0-24-20	1 1/2 X 1 1/4				24.04
WP0-32-08	2 X 1/2				42.40
WP0-32-12	2 X 3/4				40.74
WP0-32-16	2 X 1				39.98
WP0-32-20	2 X 1 1/4				37.16
WP0-32-24	2 X 1 1/2				37.16
WP0-40-16	2 1/2 X 1				88.76
WP0-40-20	2 1/2 X 1 1/4				88.19
WP0-40-24	2 1/2 X 1 1/2				78.05
WP0-40-32	2 1/2 X 2				76.44
WP0-48-24	3 X 1 1/2				103.40
WP0-48-32	3 X 2				92.55
WP0-48-40	3 X 2 1/2				94.49
WP0-64-32	4 X 2				205.18
WP0-64-40	4 X 2 1/2				213.40



CELLO #	SIZE	LIST
<b>COUPLINGS...Continued</b>		
<b>c x c</b>	<b>Wrot</b>	<b>WP0-</b>
WP0-64-48	4 X 3	187.63
<b>COUPLINGS</b>		
<b>c x c</b>	<b>Wrot</b>	<b>WP0-RING-</b>
WP0-RING-40	2 1/2	52.02
WP0-RING-48	3	75.33
WP0-RING-64	4	171.40
<b>ELBOW 45</b>		
<b>c x c</b>	<b>Wrot</b>	<b>WP6-</b>
WP6-02	1/8	14.95
WP6-04	1/4	11.16
WP6-06	3/8	9.55
WP6-08	1/2	3.94
WP6-10	5/8	16.74
WP6-12	3/4	6.71
WP6-16	1	16.85
WP6-20	1 1/4	22.58
WP6-24	1 1/2	27.74
WP6-32	2	46.31
WP6-40	2 1/2	89.96
WP6-48	3	125.50
WP6-64	4	258.88
<b>ELBOW 45 - STREET</b>		
<b>ftg x c</b>	<b>Wrot</b>	<b>WP6-2-</b>
WP6-2-04	1/4	16.63
WP6-2-06	3/8	13.04
WP6-2-08	1/2	4.68
WP6-2-12	3/4	6.78
WP6-2-16	1	22.70
WP6-2-20	1 1/4	27.79
WP6-2-24	1 1/2	34.66
WP6-2-32	2	55.11
WP6-2-40	2 1/2	119.43
WP6-2-48	3	152.13

CELLO #	SIZE	LIST
<b>ELBOW 90 - STREET</b>		
<b>ftg x c</b>	<b>Wrot</b>	<b>WP7-2-</b>
WP7-2-04	1/4	10.98
WP7-2-06	3/8	7.58
WP7-2-08	1/2	3.30
WP7-2-10	5/8	13.11
WP7-2-12	3/4	6.98
WP7-2-16	1	17.86
WP7-2-20	1 1/4	26.26
WP7-2-24	1 1/2	35.09
WP7-2-32	2	76.40
<b>ELBOW 90 (short radius)</b>		
<b>c x c</b>	<b>Wrot</b>	<b>WP7-</b>
WP7-02	1/8	5.95
WP7-04	1/4	10.30
WP7-06	3/8	6.06
WP7-08	1/2	2.16
WP7-10	5/8	12.69
WP7-12	3/4	4.83
WP7-16	1	11.85
WP7-20	1 1/4	17.55
WP7-24	1 1/2	27.39
WP7-32	2	49.90
WP7-40	2 1/2	91.06
WP7-48	3	129.25
WP7-64	4	283.38
WP7-12-08	3/4 X 1/2	12.39
<b>ELBOW 90 LT - STREET</b>		
<b>ftg x c</b>	<b>Wrot</b>	<b>WP7LT-2-</b>
WP7LT-2-06	3/8	19.84
WP7LT-2-08	1/2	13.55
WP7LT-2-10	5/8	16.03
WP7LT-2-12	3/4	17.43
WP7LT-2-16	1	29.68
WP7LT-2-20	1 1/4	42.53
WP7LT-2-24	1 1/2	60.66
WP7LT-2-32	2	98.89

**ELBOW 90 LT (Long radius)**

<b>c x c</b>	<b>Wrot</b>	<b>WP7LT-</b>
WP7LT-02	1/8	11.16
WP7LT-04	1/4	8.56
WP7LT-06	3/8	10.81
WP7LT-08	1/2	9.71
WP7LT-10	5/8	9.81
WP7LT-12	3/4	12.55
WP7LT-16	1	20.19
WP7LT-20	1 1/4	79.26
WP7LT-24	1 1/2	32.74
WP7LT-32	2	113.36
WP7LT-40	2 1/2	167.00

**TEE**

<b>c x c x c</b>	<b>Wrot</b>	<b>WPT-</b>
WPT-04	1/4	12.51
WPT-06	3/8	10.04
WPT-08	1/2	3.68
WPT-10	5/8	22.96
WPT-12	3/4	8.86
WPT-16	1	26.60
WPT-20	1 1/4	36.70
WPT-24	1 1/2	55.46
WPT-32	2	88.21
WPT-40	2 1/2	162.29
WPT-48	3	232.83
WPT-64	4	545.31
WPT-08-08-04	1/2 X 1/2 X 1/4	18.38
WPT-08-08-06	1/2 X 1/2 X 3/8	18.38
WPT-08-08-12	1/2 X 1/2 X 3/4	16.85
WPT-12-08-08	3/4 X 1/2 X 1/2	10.36
WPT-12-08-12	3/4 X 1/2 X 3/4	10.36
WPT-12-12-06	3/4 X 3/4 X 3/8	11.54
WPT-12-12-08	3/4 X 3/4 X 1/2	8.45
WPT-12-12-16	3/4 X 3/4 X 1	29.50
WPT-16-08-08	1 X 1/2 X 1/2	32.38
WPT-16-08-12	1 X 1/2 X 3/4	34.09
WPT-16-08-16	1 X 1/2 X 1	32.38
WPT-16-12-08	1 X 3/4 X 1/2	32.38
WPT-16-12-12	1 X 3/4 X 3/4	32.38
WPT-16-12-16	1 X 3/4 X 1	32.38
WPT-16-16-06	1 X 1 X 3/8	32.69
WPT-16-16-08	1 X 1 X 1/2	27.23
WPT-16-16-12	1 X 1 X 3/4	27.23
WPT-16-16-20	1 X 1 X 1 1/4	60.53
WPT-20-08-20	1 1/4 X 1/2 X 1 1/4	52.10
WPT-20-12-08	1 1/4 X 3/4 X 1/2	56.91

WPT-20-12-12	1 1/4 X 3/4 X 3/4	50.90
WPT-20-12-16	1 1/4 X 3/4 X 1	54.81
WPT-20-12-20	1 1/4 X 3/4 X 1 1/4	50.90
WPT-20-16-08	1 1/4 X 1 X 1/2	52.10
WPT-20-16-12	1 1/4 X 1 X 3/4	49.91
WPT-20-16-16	1 1/4 X 1 X 1	50.90
WPT-20-16-20	1 1/4 X 1 X 1 1/4	52.10
WPT-20-20-08	1 1/4 X 1 1/4 X 1/2	39.65
WPT-20-20-12	1 1/4 X 1 1/4 X 3/4	39.65
WPT-20-20-16	1 1/4 X 1 1/4 X 1	39.65
WPT-20-20-24	1 1/4 X 1 1/4 X 1 1/2	85.91
WPT-20-20-32	1 1/4 X 1 1/4 X 2	176.63
WPT-24-08-24	1 1/2 X 1/2 X 1 1/2	86.36
WPT-24-12-08	1 1/2 X 3/4 X 1/2	94.45
WPT-24-12-12	1 1/2 X 3/4 X 3/4	89.68
WPT-24-12-16	1 1/2 X 3/4 X 1	89.68
WPT-24-12-20	1 1/2 X 3/4 X 1 1/4	92.65
WPT-24-12-24	1 1/2 X 3/4 X 1 1/2	84.46
WPT-24-16-08	1 1/2 X 1 X 1/2	89.68
WPT-24-16-12	1 1/2 X 1 X 3/4	86.18
WPT-24-16-16	1 1/2 X 1 X 1	84.46
WPT-24-16-20	1 1/2 X 1 X 1 1/4	89.68
WPT-24-16-24	1 1/2 X 1 X 1 1/2	86.18
WPT-24-20-08	1 1/2 X 1 1/4 X 1/2	89.68
WPT-24-20-12	1 1/2 X 1 1/4 X 3/4	86.18
WPT-24-20-16	1 1/2 X 1 1/4 X 1	84.46
WPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	86.18
WPT-24-20-24	1 1/2 X 1 1/4 X 1 1/2	89.68
WPT-24-24-08	1 1/2 X 1 1/2 X 1/2	42.11
WPT-24-24-12	1 1/2 X 1 1/2 X 3/4	42.11
WPT-24-24-16	1 1/2 X 1 1/2 X 1	42.11
WPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	42.11
WPT-24-24-32	1 1/2 X 1 1/2 X 2	164.50
WPT-32-08-32	2 X 1/2 X 2	114.71
WPT-32-12-32	2 X 3/4 X 2	114.71
WPT-32-16-16	2 X 1 X 1	114.71
WPT-32-16-32	2 X 1 X 2	114.71
WPT-32-20-12	2 X 1 1/4 X 3/4	123.26
WPT-32-20-16	2 X 1 1/4 X 1	123.26
WPT-32-20-20	2 X 1 1/4 X 1 1/4	124.41
WPT-32-20-24	2 X 1 1/4 X 1 1/2	120.85
WPT-32-20-32	2 X 1 1/4 X 2	119.28
WPT-32-24-08	2 X 1 1/2 X 1/2	118.49
WPT-32-24-12	2 X 1 1/2 X 3/4	114.71
WPT-32-24-16	2 X 1 1/2 X 1	114.71
WPT-32-24-20	2 X 1 1/2 X 1 1/4	124.41
WPT-32-24-24	2 X 1 1/2 X 1 1/2	112.29
WPT-32-24-32	2 X 1 1/2 X 2	114.71
WPT-32-32-08	2 X 2 X 1/2	66.64
WPT-32-32-12	2 X 2 X 3/4	66.64
WPT-32-32-16	2 X 2 X 1	68.69

**TEE...Continued**

<b>c x c x c</b>	<b>Wrot</b>	<b>WPT-</b>	
WPT-32-20-32	2 X 1 1/4 X 2	119.28	
WPT-32-24-08	2 X 1 1/2 X 1/2	118.49	
WPT-32-24-12	2 X 1 1/2 X 3/4	114.71	
WPT-32-24-16	2 X 1 1/2 X 1	114.71	
WPT-32-24-20	2 X 1 1/2 X 1 1/4	124.41	
WPT-32-24-24	2 X 1 1/2 X 1 1/2	112.29	
WPT-32-24-32	2 X 1 1/2 X 2	114.71	
WPT-32-32-08	2 X 2 X 1/2	66.64	
WPT-32-32-12	2 X 2 X 3/4	66.64	
WPT-32-32-16	2 X 2 X 1	68.69	
WPT-32-32-20	2 X 2 X 1 1/4	76.26	
WPT-32-32-24	2 X 2 X 1 1/2	68.69	
WPT-40-40-08	2 1/2 X 2 1/2 X 1/2	189.18	
WPT-40-40-12	2 1/2 X 2 1/2 X 3/4	185.15	
WPT-40-40-16	2 1/2 X 2 1/2 X 1	189.18	
WPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	189.18	
WPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	189.18	
WPT-40-40-32	2 1/2 X 2 1/2 X 2	189.19	
WPT-40-40-48	2 1/2 X 2 1/2 X 3	1,251.65	
WPT-48-48-08	3 X 3 X 1/2	195.88	
WPT-48-48-12	3 X 3 X 3/4	195.88	
WPT-48-48-16	3 X 3 X 1	195.88	
WPT-48-48-20	3 X 3 X 1 1/4	195.88	
WPT-48-48-24	3 X 3 X 1 1/2	195.88	
WPT-48-48-32	3 X 3 X 2	195.88	
WPT-48-48-40	3 X 3 X 2 1/2	214.25	
WPT-64-64-08	4 X 4 X 1/2	384.65	
WPT-64-64-12	4 X 4 X 3/4	394.47	
WPT-64-64-16	4 X 4 X 1	348.00	
WPT-64-64-20	4 X 4 X 1 1/4	364.42	
WPT-64-64-24	4 X 4 X 1 1/2	348.00	
WPT-64-64-32	4 X 4 X 2	368.07	
WPT-64-64-40	4 X 4 X 2 1/2	419.43	
WPT-64-64-48	4 X 4 X 3	387.40	

Cello copper and threaded brass fittings not listed on this prices sheet are available in Cleaned and Bagged on a special order basis. Please contact customer service for price and availability.

Special order fittings are not returnable.

Minimum Order for C&B Fittings is \$25.00 net

**UNION**

<b>c x c</b>	<b>Wrot</b>	<b>WP33-</b>	
WP33-08	1/2	250	23.24
WP33-12	3/4	100	28.64
WP33-16	1	90	49.14
WP33-32	2	33	186.67



# CELLO PRODUCTS INC.

## NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

## Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

## *Available from CELLO PRODUCTS*

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrought*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call  
1-800-265-7882 for Customer Services.*

### **Also now available:**

- **Press Fittings + Ballvalves**
- **IPS + CXC Ballvalves**



## CELLO PRODUCTS INC.

### SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

### BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

### WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.