

# CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61\*

\* wrought copper products

## Threaded Brass No Lead Fittings

USA

Price List #2

Effective May 28, 2018

## PRICE LIST

CANADA

210 Avenue Road  
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150  
Fax: (519) 621-4108  
Customer Service: 1-800-265-7882  
e-mail:  
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:  
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST		
<b>No Lead 45 Elbows</b>				<b>No Lead 90 Elbows</b>					
<b>45 Elbow</b> TBNL6-				<b>90 Elbow - Street</b> TBNL7-S-					
TBNL6-02	1/8	200	800	3.82	TBNL7-S-02	1/8	200	800	5.31
TBNL6-04	1/4	120	480	3.82	TBNL7-S-04	1/4	100	400	5.31
TBNL6-08	1/2	50	200	4.85	TBNL7-S-06	3/8	60	240	5.31
TBNL6-12	3/4	25	100	7.16	TBNL7-S-08	1/2	50	200	6.61
TBNL6-16	1	1	90	12.06	TBNL7-S-12	3/4	25	100	9.32
TBNL6-20	1 1/4	1	50	19.31	TBNL7-S-16	1	1	60	15.40
TBNL6-24	1 1/2	1	40	24.20	TBNL7-S-20	1 1/4	1	40	23.60
TBNL6-32	2	1	25	40.62	TBNL7-S-24	1 1/2	1	35	30.73
					TBNL7-S-32	2	1	20	52.81
<b>No Lead 45 Elbows</b>				<b>No Lead Caps</b>					
<b>45 Elbow - Street</b> TBNL6-S-				<b>Caps</b> TBNL17-					
TBNL6-S-04	1/4	120	480	5.40	TBNL17-04	1/4	250	1,000	2.62
TBNL6-S-08	1/2	50	200	6.67	TBNL17-06	3/8	150	600	2.62
TBNL6-S-12	3/4	25	100	9.32	TBNL17-08	1/2	100	400	3.49
TBNL6-S-16	1	1	80	15.40	TBNL17-12	3/4	50	200	4.76
TBNL6-S-20	1 1/4	1	50	23.60	TBNL17-16	1	40	160	7.23
<b>No Lead 90 Elbows</b>				<b>No Lead Couplings</b>					
<b>90 Elbow</b> TBNL7-				<b>Coupling</b> TBNL1-					
TBNL7-02	1/8	100	400	3.49	TBNL1-02	1/8	200	800	3.49
TBNL7-04	1/4	100	400	3.49	TBNL1-04	1/4	150	600	3.49
TBNL7-06	3/8	75	300	3.49	TBNL1-06	3/8	100	400	3.49
TBNL7-08	1/2	50	200	5.31	TBNL1-08	1/2	50	200	4.38
TBNL7-12	3/4	25	100	7.15	TBNL1-12	3/4	25	100	5.79
TBNL7-16	1	1	80	11.03	TBNL1-16	1	1	100	8.79
TBNL7-20	1 1/4	1	50	17.54	TBNL1-20	1 1/4	1	75	13.73
TBNL7-24	1 1/2	1	35	22.11	TBNL1-24	1 1/2	1	50	18.67
TBNL7-32	2	1	20	34.60	TBNL1-32	2	1	30	30.73
TBNL7-40	2 1/2	1	10	69.98	TBNL1-40	2 1/2	1	18	50.87
TBNL7-48	3	1	6	108.02	TBNL1-48	3	1	1	70.65
TBNL7-08-06	1/2 X 3/8	50	200	5.76	TBNL1-04-02	1/4 X 1/8	150	600	3.73
TBNL7-12-08	3/4 X 1/2	30	120	7.83	TBNL1-06-04	3/8 X 1/4	90	360	3.73
TBNL7-16-08	1 X 1/2	25	100	13.73	TBNL1-08-04	1/2 X 1/4	75	300	4.67
TBNL7-16-12	1 X 3/4	25	100	13.73	TBNL1-08-06	1/2 X 3/8	70	280	4.67
TBNL7-24-12	1 1/2 X 3/4	1	35	27.11					
TBNL7-24-16	1 1/2 X 1	1	45	27.11					
TBNL7-24-20	1 1/2 X 1 1/4	1	35	27.11					
TBNL7-32-24	2 X 1 1/2	1	24	50.01					



<b>No Lead Couplings...Continued</b>					
<b>Coupling</b>					<b>TBNL1-</b>
TBNL1-12-04	3/4 X 1/4	50	200	7.72	
TBNL1-12-06	3/4 X 3/8	45	180	6.95	
TBNL1-12-08	3/4 X 1/2	45	180	6.95	
TBNL1-16-08	1 X 1/2	30	120	11.56	
TBNL1-16-12	1 X 3/4	25	100	11.56	
TBNL1-20-12	1 1/4 X 3/4	1	90	18.67	
TBNL1-20-16	1 1/4 X 1	1	80	18.67	
TBNL1-24-12	1 1/2 X 3/4	1	75	26.56	
TBNL1-24-16	1 1/2 X 1	1	65	23.59	
TBNL1-24-20	1 1/2 X 1 1/4	1	60	23.59	
TBNL1-32-12	2 X 3/4	1	40	39.51	
TBNL1-32-16	2 X 1	1	40	39.51	
TBNL1-32-20	2 X 1 1/4	1	40	35.06	
TBNL1-32-24	2 X 1 1/2	1	35	35.06	
TBNL1-40-32	2 1/2 X 2	1	20	62.11	
TBNL1-48-32	3 X 2	1	16	82.35	
<b>No Lead Crosses</b>					
<b>Crosses</b>					<b>TBNL35-</b>
TBNL35-04	1/4	60	240	8.11	
TBNL35-06	3/8	35	140	8.11	
TBNL35-08	1/2	25	100	9.86	
TBNL35-12	3/4	1	60	14.38	
TBNL35-16	1	1	40	27.69	
<b>No Lead Flanges</b>					
<b>Companion Flanges</b>					<b>TBNL41-</b>
TBNL41-12	3/4	1	25	42.81	
TBNL41-16	1	1	40	56.48	
TBNL41-20	1 1/4	1	25	80.13	
TBNL41-24	1 1/2	1	15	92.27	
TBNL41-32	2	1	15	148.72	
TBNL41-40	2 1/2	1	10	216.77	
TBNL41-48	3	1	8	267.84	
TBNL41-64	4	1	5	402.66	
<b>No Lead Hex Bushing</b>					
<b>Reducing</b>					<b>TBNL12-</b>
TBNL12-04-02	1/4 X 1/8	150	600	2.78	

TBNL12-06-02	3/8 X 1/8	125	500	2.78	
TBNL12-06-04	3/8 X 1/4	250	1,000	2.78	
TBNL12-08-02	1/2 X 1/8	150	600	3.31	
TBNL12-08-04	1/2 X 1/4	150	600	2.78	
TBNL12-08-06	1/2 X 3/8	150	600	2.78	
TBNL12-12-02	3/4 X 1/8	90	360	4.62	
TBNL12-12-04	3/4 X 1/4	90	360	4.62	
TBNL12-12-06	3/4 X 3/8	90	360	3.82	
TBNL12-12-08	3/4 X 1/2	90	360	3.82	
TBNL12-16-04	1 X 1/4	50	200	7.03	
TBNL12-16-08	1 X 1/2	50	200	5.79	
TBNL12-16-12	1 X 3/4	50	200	5.79	
TBNL12-20-08	1 1/4 X 1/2	40	160	11.90	
TBNL12-20-12	1 1/4 X 3/4	40	160	9.86	
TBNL12-20-16	1 1/4 X 1	40	160	9.86	
TBNL12-24-08	1 1/2 X 1/2	30	120	15.83	
TBNL12-24-12	1 1/2 X 3/4	1	120	15.83	
TBNL12-24-16	1 1/2 X 1	1	120	12.60	
TBNL12-24-20	1 1/2 X 1 1/4	1	120	12.60	
TBNL12-32-08	2 X 1/2	1	70	22.49	
TBNL12-32-12	2 X 3/4	1	70	22.49	
TBNL12-32-16	2 X 1	1	70	22.49	
TBNL12-32-20	2 X 1 1/4	1	65	18.67	
TBNL12-32-24	2 X 1 1/2	1	65	18.67	
TBNL12-40-32	2 1/2 X 2	1	40	37.34	
TBNL12-48-32	3 X 2	1	24	55.94	
TBNL12-48-40	3 X 2 1/2	1	24	55.94	
<b>No Lead Plugs</b>					
<b>Plug, Countersunk</b>					<b>TBNLP-CS-</b>
TBNLP-CS-08	1/2	150	600	3.70	
TBNLP-CS-12	3/4	100	400	4.59	
TBNLP-CS-16	1	150	200	7.65	
<b>No Lead Plugs</b>					
<b>Plug, Cored (Hollow)</b>					<b>TBNLP-H-</b>
TBNLP-H-08	1/2	150	600	3.65	
TBNLP-H-12	3/4	100	400	4.19	
TBNLP-H-16	1	50	200	5.51	
TBNLP-H-20	1 1/4	35	140	8.21	
TBNLP-H-24	1 1/2	30	120	10.70	
TBNLP-H-32	2	1	100	15.97	
TBNLP-H-40	2 1/2	1	40	28.27	



**No Lead Plugs...Continued**

**Plug, Cored (Hollow) TBNLP-H-**

TBNLP-H-40	2 1/2	1	40	28.27
TBNLP-H-48	3	1	32	44.86

**No Lead Plugs**

**Plug, Solid TBNLP-S-**

TBNLP-S-02	1/8	900	3,600	2.32
TBNLP-S-04	1/4	500	2,000	2.32
TBNLP-S-06	3/8	250	1,000	2.32
TBNLP-S-08	1/2	50	300	3.81
TBNLP-S-12	3/4	50	200	5.80
TBNLP-S-16	1	25	150	10.14
TBNLP-S-24	1 1/2	1	100	21.49

**No Lead Tees**

**Tee TBNLT-**

TBNLT-02	1/8	120	480	4.85
TBNLT-04	1/4	75	300	4.85
TBNLT-06	3/8	50	200	4.85
TBNLT-08	1/2	25	100	6.11
TBNLT-12	3/4	1	85	8.80
TBNLT-16	1	1	50	15.62
TBNLT-20	1 1/4	1	35	21.49
TBNLT-24	1 1/2	1	24	30.14
TBNLT-32	2	1	15	49.38
TBNLT-40	2 1/2	1	8	96.03
TBNLT-08-08-04	1/2 X 1/2 X 1/4	35	140	7.40
TBNLT-08-08-12	1/2 X 1/2 X 3/4	25	100	10.54
TBNLT-12-08-08	3/4 X 1/2 X 1/2	25	100	10.54
TBNLT-12-08-12	3/4 X 1/2 X 3/4	25	100	10.54
TBNLT-12-12-04	3/4 X 3/4 X 1/4	25	100	10.54
TBNLT-12-12-08	3/4 X 3/4 X 1/2	25	100	10.54
TBNLT-16-12-12	1 X 3/4 X 3/4	1	65	20.97
TBNLT-16-12-16	1 X 3/4 X 1	1	60	19.23
TBNLT-16-16-08	1 X 1 X 1/2	1	75	19.23
TBNLT-16-16-12	1 X 1 X 3/4	1	70	19.23
TBNLT-20-20-12	1 1/4 X 1 1/4 X 3/4	1	40	27.11
TBNLT-20-20-16	1 1/4 X 1 1/4 X 1	1	35	27.11
TBNLT-24-24-08	1 1/2 X 1 1/2 X 1/2	1	30	37.33
TBNLT-24-24-12	1 1/2 X 1 1/2 X 3/4	1	30	37.33
TBNLT-24-24-16	1 1/2 X 1 1/2 X 1	1	30	37.33

TBNLT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	1	26	37.33
TBNLT-32-32-12	2 X 2 X 3/4	1	20	61.00
TBNLT-32-32-16	2 X 2 X 1	1	16	61.00

**No Lead Unions**

**Unions TBNL33-**

TBNL33-04	1/4	60	240	12.32
TBNL33-06	3/8	30	120	12.32
TBNL33-08	1/2	25	100	13.47
TBNL33-12	3/4	20	80	18.67
TBNL33-16	1	1	70	24.73
TBNL33-20	1 1/4	1	40	36.74
TBNL33-24	1 1/2	1	25	43.44
TBNL33-32	2	1	18	66.50
TBNL33-40	2 1/2	1	40	129.49
TBNL33-48	3	1	8	207.31
TBNL33-48	3	1	8	207.31



# CELLO PRODUCTS INC.

## NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

## Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

## *Available from CELLO PRODUCTS*

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrought*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call  
1-800-265-7882 for Customer Services.*



## CELLO PRODUCTS INC.

### SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

### BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

### WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.