

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61*

* wrought copper products

Threaded Brass No Lead Fittings

USA

Price List #1

Effective July 1, 2013

PRICE LIST

CANADA

210 Avenue Road, PO Box 37
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail: cello@cello.on.ca



U.S.A.

Frank Longenecker

Telephone: (262) 740-1592
Fax: (262) 740-1593

e-mail:
flongenecker@celloproducts.com



| CELLO # | SIZE | BOX/MC | LIST | CELLO # | SIZE | BOX/MC | LIST |
|-----------------------------------|---------------|---------|--------|-----------------------------------|-----------|-----------|-------|
| No Lead 45 Elbows | | | | TBNL7-32-24 | 2 X 1 1/2 | 1 24 | 47.01 |
| 45 Elbow TBNL6- | | | | No Lead 90 Elbows | | | |
| TBNL6-02 | 1/8 | 200 800 | 3.59 | 90 Elbow - Street TBNL7-S- | | | |
| TBNL6-04 | 1/4 | 120 480 | 3.59 | TBNL7-S-02 | 1/8 | 200 800 | 4.99 |
| TBNL6-08 | 1/2 | 50 200 | 4.56 | TBNL7-S-04 | 1/4 | 100 400 | 4.99 |
| TBNL6-12 | 3/4 | 25 100 | 6.73 | TBNL7-S-06 | 3/8 | 60 240 | 4.99 |
| TBNL6-16 | 1 | 1 90 | 11.34 | TBNL7-S-08 | 1/2 | 50 200 | 6.21 |
| TBNL6-20 | 1 1/4 | 1 50 | 18.15 | TBNL7-S-12 | 3/4 | 25 100 | 8.76 |
| TBNL6-24 | 1 1/2 | 1 40 | 22.75 | TBNL7-S-16 | 1 | 1 60 | 14.48 |
| TBNL6-32 | 2 | 1 25 | 38.18 | TBNL7-S-20 | 1 1/4 | 1 40 | 22.18 |
| No Lead 45 Elbows | | | | TBNL7-S-24 | 1 1/2 | 1 35 | 28.89 |
| 45 Elbow - Street TBNL6-S- | | | | TBNL7-S-32 | 2 | 1 20 | 49.64 |
| TBNL6-S-04 | 1/4 | 120 480 | 5.08 | No Lead Caps | | | |
| TBNL6-S-08 | 1/2 | 50 200 | 6.27 | Caps TBNL17- | | | |
| TBNL6-S-12 | 3/4 | 25 100 | 8.76 | TBNL17-02 | 1/8 | 300 1,200 | 2.46 |
| TBNL6-S-16 | 1 | 1 80 | 14.48 | TBNL17-04 | 1/4 | 250 1,000 | 2.46 |
| TBNL6-S-20 | 1 1/4 | 1 50 | 22.18 | TBNL17-06 | 3/8 | 150 600 | 2.46 |
| No Lead 90 Elbows | | | | TBNL17-08 | 1/2 | 100 400 | 3.28 |
| 90 Elbow TBNL7- | | | | TBNL17-12 | 3/4 | 50 200 | 4.47 |
| TBNL7-02 | 1/8 | 100 400 | 3.28 | TBNL17-16 | 1 | 40 160 | 6.80 |
| TBNL7-04 | 1/4 | 100 400 | 3.28 | TBNL17-20 | 1 1/4 | 25 100 | 10.34 |
| TBNL7-06 | 3/8 | 75 300 | 3.28 | TBNL17-24 | 1 1/2 | 1 100 | 13.97 |
| TBNL7-08 | 1/2 | 50 200 | 4.99 | TBNL17-32 | 2 | 1 70 | 23.01 |
| TBNL7-12 | 3/4 | 25 100 | 6.72 | No Lead Couplings | | | |
| TBNL7-16 | 1 | 1 80 | 10.37 | Coupling TBNL1- | | | |
| TBNL7-20 | 1 1/4 | 1 50 | 16.49 | TBNL1-02 | 1/8 | 200 800 | 3.28 |
| TBNL7-24 | 1 1/2 | 1 35 | 20.78 | TBNL1-04 | 1/4 | 150 600 | 3.28 |
| TBNL7-32 | 2 | 1 20 | 32.52 | TBNL1-06 | 3/8 | 100 400 | 3.28 |
| TBNL7-40 | 2 1/2 | 1 10 | 65.78 | TBNL1-08 | 1/2 | 50 200 | 4.12 |
| TBNL7-48 | 3 | 1 6 | 101.54 | TBNL1-12 | 3/4 | 25 100 | 5.44 |
| TBNL7-06-04 | 3/8 X 1/4 | 90 360 | 5.08 | TBNL1-16 | 1 | 1 100 | 8.26 |
| TBNL7-08-06 | 1/2 X 3/8 | 50 200 | 5.41 | TBNL1-20 | 1 1/4 | 1 75 | 12.91 |
| TBNL7-12-08 | 3/4 X 1/2 | 30 120 | 7.36 | TBNL1-24 | 1 1/2 | 1 50 | 17.55 |
| TBNL7-16-08 | 1 X 1/2 | 25 100 | 12.91 | TBNL1-32 | 2 | 1 30 | 28.89 |
| TBNL7-16-12 | 1 X 3/4 | 25 100 | 12.91 | TBNL1-40 | 2 1/2 | 1 18 | 47.82 |
| TBNL7-24-12 | 1 1/2 X 3/4 | 1 35 | 25.48 | TBNL1-48 | 3 | 1 1 | 66.41 |
| TBNL7-24-16 | 1 1/2 X 1 | 1 45 | 25.48 | TBNL1-04-02 | 1/4 X 1/8 | 150 600 | 3.51 |
| TBNL7-24-20 | 1 1/2 X 1 1/4 | 1 35 | 25.48 | TBNL1-06-04 | 3/8 X 1/4 | 90 360 | 3.51 |



| CELLO # | SIZE | BOX/MC | LIST | CELLO # | SIZE | BOX/MC | LIST |
|--------------------------------------|---------------|--------|----------------|----------------------------|---------------|-----------|------------------|
| No Lead Couplings...Continued | | | | | | | |
| Coupling | | | TBNL1- | | | | |
| TBNL1-08-02 | 1/2 X 1/8 | 75 300 | 5.09 | TBNL41-64 | 4 | 1 5 | 378.50 |
| TBNL1-08-04 | 1/2 X 1/4 | 75 300 | 4.39 | No Lead Hex Bushing | | | |
| TBNL1-08-06 | 1/2 X 3/8 | 70 280 | 4.39 | Reducing | | | |
| TBNL1-12-04 | 3/4 X 1/4 | 50 200 | 7.26 | TBNL12-04-02 | 1/4 X 1/8 | 150 600 | 2.61 |
| TBNL1-12-06 | 3/4 X 3/8 | 45 180 | 6.53 | TBNL12-06-04 | 3/8 X 1/4 | 250 1,000 | 2.61 |
| TBNL1-12-08 | 3/4 X 1/2 | 45 180 | 6.53 | TBNL12-08-02 | 1/2 X 1/8 | 150 600 | 3.11 |
| TBNL1-16-08 | 1 X 1/2 | 30 120 | 10.87 | TBNL12-08-04 | 1/2 X 1/4 | 150 600 | 2.61 |
| TBNL1-16-12 | 1 X 3/4 | 25 100 | 10.87 | TBNL12-08-06 | 1/2 X 3/8 | 150 600 | 2.61 |
| TBNL1-20-12 | 1 1/4 X 3/4 | 1 90 | 17.55 | TBNL12-12-02 | 3/4 X 1/8 | 90 360 | 4.34 |
| TBNL1-20-16 | 1 1/4 X 1 | 1 80 | 17.55 | TBNL12-12-04 | 3/4 X 1/4 | 90 360 | 4.34 |
| TBNL1-24-12 | 1 1/2 X 3/4 | 1 75 | 24.97 | TBNL12-12-06 | 3/4 X 3/8 | 90 360 | 3.59 |
| TBNL1-24-16 | 1 1/2 X 1 | 1 65 | 22.17 | TBNL12-12-08 | 3/4 X 1/2 | 90 360 | 3.59 |
| TBNL1-24-20 | 1 1/2 X 1 1/4 | 1 60 | 22.17 | TBNL12-16-04 | 1 X 1/4 | 50 200 | 6.61 |
| TBNL1-32-12 | 2 X 3/4 | 1 40 | 37.14 | TBNL12-16-08 | 1 X 1/2 | 50 200 | 5.44 |
| TBNL1-32-16 | 2 X 1 | 1 40 | 37.14 | TBNL12-16-12 | 1 X 3/4 | 50 200 | 5.44 |
| TBNL1-32-20 | 2 X 1 1/4 | 1 40 | 32.96 | TBNL12-20-04 | 1 1/4 X 1/4 | 1 80 | 11.19 |
| TBNL1-32-24 | 2 X 1 1/2 | 1 35 | 32.96 | TBNL12-20-08 | 1 1/4 X 1/2 | 40 160 | 11.19 |
| TBNL1-40-32 | 2 1/2 X 2 | 1 20 | 58.38 | TBNL12-20-12 | 1 1/4 X 3/4 | 40 160 | 9.27 |
| TBNL1-48-32 | 3 X 2 | 1 16 | 77.41 | TBNL12-20-16 | 1 1/4 X 1 | 40 160 | 9.27 |
| No Lead Crosses | | | | | | | |
| Crosses | | | TBNL35- | TBNL12-24-08 | 1 1/2 X 1/2 | 30 120 | 14.88 |
| TBNL35-04 | 1/4 | 60 240 | 7.62 | TBNL12-24-12 | 1 1/2 X 3/4 | 1 120 | 14.88 |
| TBNL35-06 | 3/8 | 35 140 | 7.62 | TBNL12-24-16 | 1 1/2 X 1 | 1 120 | 11.84 |
| TBNL35-08 | 1/2 | 25 100 | 9.27 | TBNL12-24-20 | 1 1/2 X 1 1/4 | 1 120 | 11.84 |
| TBNL35-12 | 3/4 | 1 60 | 13.52 | TBNL12-32-08 | 2 X 1/2 | 1 70 | 21.14 |
| TBNL35-16 | 1 | 1 40 | 26.03 | TBNL12-32-12 | 2 X 3/4 | 1 70 | 21.14 |
| No Lead Flanges | | | | | | | |
| Companion Flanges | | | TBNL41- | TBNL12-32-16 | 2 X 1 | 1 70 | 21.14 |
| TBNL41-08 | 1/2 | 1 25 | 31.37 | TBNL12-32-20 | 2 X 1 1/4 | 1 65 | 17.55 |
| TBNL41-12 | 3/4 | 1 25 | 40.24 | TBNL12-32-24 | 2 X 1 1/2 | 1 65 | 17.55 |
| TBNL41-16 | 1 | 1 40 | 53.09 | TBNL12-40-24 | 2 1/2 X 1 1/2 | 1 40 | 35.10 |
| TBNL41-20 | 1 1/4 | 1 25 | 75.32 | TBNL12-40-32 | 2 1/2 X 2 | 1 40 | 35.10 |
| TBNL41-24 | 1 1/2 | 1 15 | 86.73 | TBNL12-48-32 | 3 X 2 | 1 24 | 52.58 |
| TBNL41-32 | 2 | 1 15 | 139.80 | TBNL12-48-40 | 3 X 2 1/2 | 1 24 | 52.58 |
| TBNL41-40 | 2 1/2 | 1 10 | 203.76 | No Lead Plugs | | | |
| TBNL41-48 | 3 | 1 8 | 251.77 | Plug, Countersunk | | | TBNLP-CS- |
| | | | | TBNLP-CS-08 | 1/2 | 150 600 | 3.48 |
| | | | | TBNLP-CS-12 | 3/4 | 100 400 | 4.31 |
| | | | | TBNLP-CS-16 | 1 | 150 200 | 7.19 |



| CELLO # | SIZE | BOX/MC | LIST | CELLO # | SIZE | BOX/MC | LIST |
|--------------------------------------|-----------------|-----------|-------|-----------------------|-----------------------|--------|--------|
| No Lead Plugs | | | | TBNLT-16-16-12 | 1 X 1 X 3/4 | 1 70 | 18.08 |
| Plug, Cored (Hollow) TBNLP-H- | | | | TBNLT-20-20-12 | 1 1/4 X 1 1/4 X 3/4 | 1 40 | 25.48 |
| TBNLP-H-08 | 1/2 | 150 600 | 3.43 | TBNLT-20-20-16 | 1 1/4 X 1 1/4 X 1 | 1 35 | 25.48 |
| TBNLP-H-12 | 3/4 | 100 400 | 3.94 | TBNLT-24-24-08 | 1 1/2 X 1 1/2 X 1/2 | 1 30 | 35.09 |
| TBNLP-H-16 | 1 | 50 200 | 5.18 | TBNLT-24-24-12 | 1 1/2 X 1 1/2 X 3/4 | 1 30 | 35.09 |
| TBNLP-H-20 | 1 1/4 | 35 140 | 7.72 | TBNLT-24-24-16 | 1 1/2 X 1 1/2 X 1 | 1 30 | 35.09 |
| TBNLP-H-24 | 1 1/2 | 30 120 | 10.06 | TBNLT-24-24-20 | 1 1/2 X 1 1/2 X 1 1/4 | 1 26 | 35.09 |
| TBNLP-H-32 | 2 | 1 100 | 15.01 | TBNLT-32-32-12 | 2 X 2 X 3/4 | 1 20 | 57.34 |
| TBNLP-H-40 | 2 1/2 | 1 40 | 26.57 | TBNLT-32-32-16 | 2 X 2 X 1 | 1 16 | 57.34 |
| TBNLP-H-48 | 3 | 1 32 | 42.17 | No Lead Unions | | | |
| No Lead Plugs | | | | Unions TBNL33- | | | |
| Plug, Solid TBNLP-S- | | | | TBNL33-04 | 1/4 | 60 240 | 11.58 |
| TBNLP-S-02 | 1/8 | 900 3,600 | 2.18 | TBNL33-06 | 3/8 | 30 120 | 11.58 |
| TBNLP-S-04 | 1/4 | 500 2,000 | 2.18 | TBNL33-08 | 1/2 | 25 100 | 12.66 |
| TBNLP-S-06 | 3/8 | 250 1,000 | 2.18 | TBNL33-12 | 3/4 | 20 80 | 17.55 |
| TBNLP-S-08 | 1/2 | 50 300 | 3.58 | TBNL33-16 | 1 | 1 70 | 23.25 |
| TBNLP-S-12 | 3/4 | 50 200 | 5.45 | TBNL33-20 | 1 1/4 | 1 40 | 34.54 |
| TBNLP-S-16 | 1 | 25 150 | 9.53 | TBNL33-24 | 1 1/2 | 1 25 | 40.83 |
| No Lead Tees | | | | TBNL33-32 | 2 | 1 18 | 62.51 |
| Tee TBNLT- | | | | TBNL33-40 | 2 1/2 | 1 40 | 121.72 |
| TBNLT-02 | 1/8 | 120 480 | 4.56 | TBNL33-48 | 3 | 1 8 | 194.87 |
| TBNLT-04 | 1/4 | 75 300 | 4.56 | TBNL33-48 | 3 | 1 8 | 194.87 |
| TBNLT-06 | 3/8 | 50 200 | 4.56 | | | | |
| TBNLT-08 | 1/2 | 25 100 | 5.74 | | | | |
| TBNLT-12 | 3/4 | 1 85 | 8.27 | | | | |
| TBNLT-16 | 1 | 1 50 | 14.68 | | | | |
| TBNLT-20 | 1 1/4 | 1 35 | 20.20 | | | | |
| TBNLT-24 | 1 1/2 | 1 24 | 28.33 | | | | |
| TBNLT-32 | 2 | 1 15 | 46.42 | | | | |
| TBNLT-40 | 2 1/2 | 1 8 | 90.27 | | | | |
| TBNLT-08-08-04 | 1/2 X 1/2 X 1/4 | 35 140 | 6.96 | | | | |
| TBNLT-08-08-12 | 1/2 X 1/2 X 3/4 | 25 100 | 9.91 | | | | |
| TBNLT-12-08-08 | 3/4 X 1/2 X 1/2 | 25 100 | 9.91 | | | | |
| TBNLT-12-08-12 | 3/4 X 1/2 X 3/4 | 25 100 | 9.91 | | | | |
| TBNLT-12-12-04 | 3/4 X 3/4 X 1/4 | 25 100 | 9.91 | | | | |
| TBNLT-12-12-08 | 3/4 X 3/4 X 1/2 | 25 100 | 9.91 | | | | |
| TBNLT-16-12-12 | 1 X 3/4 X 3/4 | 1 65 | 19.71 | | | | |
| TBNLT-16-12-16 | 1 X 3/4 X 1 | 1 60 | 18.08 | | | | |
| TBNLT-16-16-08 | 1 X 1 X 1/2 | 1 75 | 18.08 | | | | |



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

| Plg. & Htg. Nominal Size | O.D. Size |
|-----------------------------|-----------|
| 1/8" | 1/4" |
| 1/4" | 3/8" |
| 3/8" | 1/2" |
| 1/2" | 5/8" |
| 5/8" | 3/4" |
| 3/4" | 7/8" |
| 1" | 1 1/8" |
| 1 1/4" | 1 3/8" |
| 1 3/8" | 1 1/2" |
| 1 1/2" | 1 5/8" |
| 1 5/8" | 1 3/4" |
| 1 3/4" | 1 7/8" |
| 2" | 2 1/8" |
| 2 1/4" | 2 3/8" |
| 2 3/8" | 2 1/2" |
| 2 1/2" | 2 5/8" |
| 2 5/8" | 2 3/4" |
| 2 3/4" | 2 7/8" |
| 3" | 3 1/8" |

Abbreviations

| | |
|--------|-----------------------|
| C | -Copper |
| M | -Male Thread |
| FE | -Female Thread |
| FTG | -Fitting End (Street) |
| L.T. | -Long radius or turn |
| MJ | -Mechanical Joint |
| DE | -Drop Ear |
| D.W.V. | -Drain-Waste-Vent |
| SJ | -Slip Joint |

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrought*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.



CELLO PRODUCTS INC.

Represented by:

Aequus Sales - East Missouri, South Illinois
Bus: (636) 543-6905
Fax: (636) 543-6905 (same)

Bull's I Sales - Iowa, Kansas, West Missouri, Nebraska
Bus: (913) 649-8391
Fax: (913) 649-8594

* Pepco Sales & Marketing - Texas, Louisiana
Bus: 1-877-737-2699
Fax: (972) 823-8717

* Dalcart Sales - Colorado, Wyoming, Montana
Bus: (303) 292-5616
Fax: (303) 292-4913

John Walker Sales - Virginia and Maryland
Bus: (703) 913-1993
Fax: (703) 913-1985

* JFL Marketing - Wisconsin, Upper Peninsula Michigan,
Northern Illinois and NW Indiana, Minn
North & South Dakota
Bus: (414) 747-8655
Fax: (414) 747-8657

* King Sales Company - Washington, Oregon, Alaska
Bus: (253) 872-0700
Fax: (253) 872-0704

KV Sales - Utah, Idaho, Nevada
Bus: (801) 599-0499
Fax: (801) 278-9550

Whitfill Associates - Kentucky, Indiana, S Ohio
Bus: (502) 459-4545
Fax: (502) 459-9944

LSP Industries - South California
Bus: (805) 706-0391
Cell: (805) 304-1429

* L.C.A. Sales - New York City, Long Island, North New Jersey
Bus: (631) 232-0003
Fax: (631) 232-0006

* Lewis Marketing - North & South Carolina
Bus: (704) 376-0262
Fax: (704) 375-1850

FC2 Sales Inc - Tennessee, Mississippi, Arkansas
Bus: (901) 854-6260
Fax: (866) 890-8847

* New Horizon Sales - New Mexico, Arizona
Bus: (602) 437-4795
Fax: (602) 437-8991

* W.I. Negle Company - West Pennsylvania, West Virginia,
Northern Ohio, Upstate New York
Bus: (724) 444-1144
Fax: (724) 444-1129

* Pendleton Associates - New England
Bus: (860) 646-4411
Fax: (860) 646-1162

Pro-Line Sales - East Pennsylvania, South New Jersey,
Delaware
Bus: (215) 517-7543
Fax: (215) 517-7546

* Quality Pipe - Michigan
Bus: (734) 374-5100
Fax: 1-800-377-6444

* Evans & Associates - Georgia & Florida Panhandle, Alabama
Bus: (678) 455-8118
Fax: (678) 455-8133

* G.M. Sales and Marketing - Florida
Bus: (954) 786-1412
Fax: (954) 782-8233

CANADA

210 Avenue Road, PO Box 37
Cambridge, Ontario N1R 5S9

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail: cello@cello.on.ca

* Inventory Locations

www.cello.on.ca

U.S.A.

Frank Longenecker

Telephone: (262) 740-1592
Fax: (262) 740-1593

e-mail: flongenecker@celloproducts.com